

GEO-TABLE\_2023-07-10\_ DDH Attributes - Corvette

| Hole ID  | Substrate | Total Depth (m) | Azimuth (°) | Dip (°) | Easting  | Northing  | Elevation (m) | Core Size | Cluster | Comments  |
|----------|-----------|-----------------|-------------|---------|----------|-----------|---------------|-----------|---------|-----------|
| CF21-001 | Land      | 229.1           | 340         | -45     | 570312.0 | 5930632.4 | 382.9         | NQ        | CV5     |           |
| CF21-002 | Land      | 274.2           | 340         | -45     | 570417.4 | 5930652.0 | 382.9         | NQ        | CV5     |           |
| CF21-003 | Land      | 106.1           | 160         | -45     | 570284.8 | 5930718.2 | 377.5         | NQ        | CV5     |           |
| CF21-004 | Land      | 148.3           | 340         | -45     | 569797.9 | 5930446.4 | 379.7         | NQ        | CV5     |           |
| CF21-014 | Land      | 114.0           | 203         | -45     | 561765.0 | 5929469.1 | 432.6         | NQ        | CV12    |           |
| CV22-015 | Ice       | 176.9           | 158         | -45     | 570514.7 | 5930803.9 | 372.8         | NQ        | CV5     |           |
| CV22-016 | Ice       | 252.1           | 158         | -45     | 570476.4 | 5930897.7 | 372.9         | NQ        | CV5     |           |
| CV22-017 | Ice       | 344.7           | 158         | -45     | 571422.5 | 5931224.6 | 372.9         | NQ        | CV5     |           |
| CV22-018 | Ice       | 149.9           | 158         | -45     | 570604.1 | 5930841.2 | 372.9         | NQ        | CV5     |           |
| CV22-019 | Ice       | 230.9           | 158         | -45     | 570573.7 | 5930929.8 | 373.0         | NQ        | CV5     |           |
| CV22-020 | Ice       | 203.8           | 338         | -45     | 571532.0 | 5931099.6 | 372.9         | NQ        | CV5     |           |
| CV22-021 | Ice       | 246.0           | 158         | -45     | 571533.1 | 5931095.7 | 372.9         | NQ        | CV5     |           |
| CV22-022 | Ice       | 184.0           | 158         | -45     | 570695.2 | 5930878.2 | 372.9         | NQ        | CV5     |           |
| CV22-023 | Ice       | 285.0           | 338         | -45     | 571202.6 | 5930974.2 | 372.8         | NQ        | CV5     |           |
| CV22-024 | Ice       | 156.0           | 158         | -45     | 570791.5 | 5930912.6 | 372.7         | NQ        | CV5     |           |
| CV22-025 | Ice       | 153.0           | 158         | -45     | 570883.9 | 5930953.5 | 372.8         | NQ        | CV5     |           |
| CV22-026 | Ice       | 156.0           | -           | -90     | 571203.1 | 5930973.7 | 372.8         | NQ        | CV5     |           |
| CV22-027 | Ice       | 150.1           | 158         | -45     | 570976.2 | 5930991.9 | 372.8         | NQ        | CV5     |           |
| CV22-028 | Ice       | 291.0           | 158         | -45     | 570940.9 | 5931083.5 | 372.9         | NQ        | CV5     |           |
| CV22-029 | Ice       | 165.0           | 158         | -45     | 571068.2 | 5931036.9 | 372.6         | NQ        | CV5     |           |
| CV22-030 | Ice       | 258.0           | 158         | -45     | 570385.1 | 5930855.6 | 372.8         | NQ        | CV5     |           |
| CV22-031 | Ice       | 231.0           | 158         | -45     | 570849.7 | 5931043.2 | 372.7         | NQ        | CV5     |           |
| CV22-032 | Land      | 120.6           | 158         | -45     | 570138.4 | 5930800.9 | 380.6         | NQ        | CV5     | Hole lost |
| CV22-033 | Land      | 261.1           | 158         | -45     | 571349.6 | 5931146.9 | 376.3         | NQ        | CV5     |           |
| CV22-034 | Land      | 329.8           | 158         | -55     | 570138.4 | 5930801.6 | 380.8         | NQ        | CV5     |           |
| CV22-035 | Land      | 281.0           | 158         | -45     | 571233.8 | 5931157.5 | 378.2         | NQ        | CV5     |           |
| CV22-036 | Land      | 334.8           | 158         | -45     | 570041.9 | 5930778.2 | 379.9         | NQ        | CV5     |           |
| CV22-037 | Land      | 311.0           | 158         | -45     | 571441.5 | 5931177.6 | 377.3         | NQ        | CV5     |           |
| CV22-038 | Land      | 316.8           | 158         | -45     | 569940.4 | 5930729.6 | 377.1         | NQ        | CV5     |           |
| CV22-039 | Land      | 256.9           | 158         | -45     | 571398.5 | 5931163.6 | 377.0         | NQ        | CV5     |           |
| CV22-040 | Land      | 403.8           | 158         | -45     | 569853.1 | 5930698.0 | 375.6         | NQ        | CV5     |           |
| CV22-041 | Land      | 295.9           | 158         | -45     | 571487.3 | 5931201.3 | 379.2         | NQ        | CV5     |           |
| CV22-042 | Land      | 393.0           | 158         | -65     | 571487.1 | 5931201.7 | 379.1         | NQ        | CV5     |           |
| CV22-043 | Land      | 513.6           | 158         | -59     | 569853.0 | 5930698.2 | 375.5         | NQ        | CV5     |           |
| CV22-044 | Land      | 414.5           | 158         | -45     | 571378.4 | 5931326.0 | 379.1         | NQ        | CV5     |           |
| CV22-045 | Land      | 377.4           | 158         | -45     | 569764.1 | 5930673.7 | 377.3         | NQ        | CV5     |           |
| CV22-046 | Land      | 463.9           | 158         | -50     | 570343.7 | 5930959.1 | 383.3         | NQ        | CV5     |           |
| CV22-047 | Land      | 554.1           | 158         | -59     | 571378.5 | 5931326.2 | 378.9         | NQ        | CV5     |           |
| CV22-048 | Land      | 449.2           | 158         | -45     | 570257.0 | 5930903.3 | 381.1         | NQ        | CV5     |           |
| CV22-049 | Land      | 304.8           | 158         | -45     | 571132.3 | 5931145.9 | 376.5         | NQ        | CV5     |           |
| CV22-050 | Land      | 339.0           | 158         | -60     | 571132.6 | 5931146.4 | 376.4         | NQ        | CV5     |           |
| CV22-051 | Land      | 520.8           | 158         | -58     | 570158.5 | 5930876.4 | 382.2         | NQ        | CV5     |           |
| CV22-052 | Land      | 284.8           | 158         | -45     | 571042.1 | 5931111.4 | 375.5         | NQ        | CV5     |           |
| CV22-053 | Water     | 218.5           | 158         | -45     | 570756.9 | 5930998.2 | 373.1         | NQ        | CV5     |           |
| CV22-054 | Land      | 126.4           | 158         | -58     | 570014.4 | 5930567.1 | 378.9         | NQ        | CV5     |           |
| CV22-055 | Land      | 320.0           | 158         | -60     | 571042.1 | 5931111.7 | 375.5         | NQ        | CV5     |           |
| CV22-056 | Water     | 241.9           | 158         | -45     | 570678.6 | 5930970.9 | 373.3         | NQ        | CV5     |           |
| CV22-057 | Land      | 443.1           | 158         | -45     | 570014.4 | 5930566.9 | 379.0         | NQ        | CV5     |           |
| CV22-058 | Land      | 299.0           | 158         | -45     | 571169.8 | 5931057.3 | 376.4         | NQ        | CV5     |           |
| CV22-059 | Water     | 352.9           | 158         | -45     | 570300.2 | 5930796.4 | 373.2         | NQ        | CV5     |           |
| CV22-060 | Land      | 147.1           | 158         | -45     | 570148.9 | 5930635.1 | 383.4         | NQ        | CV5     |           |

GEO-TABLE\_2023-07-10\_DDH Attributes - Corvette

| Hole ID  | Substrate | Total Depth (m) | Azimuth (°) | Dip (°) | Easting  | Northing  | Elevation (m) | Core Size | Cluster | Comments |
|----------|-----------|-----------------|-------------|---------|----------|-----------|---------------|-----------|---------|----------|
| CV22-061 | Land      | 340.9           | 158         | -45     | 571279.4 | 5931068.3 | 378.9         | NQ        | CV5     |          |
| CV22-062 | Land      | 220.8           | 158         | -45     | 570233.0 | 5930693.9 | 375.8         | NQ        | CV5     |          |
| CV22-063 | Land      | 325.4           | 158         | -45     | 571580.8 | 5931234.3 | 376.5         | NQ        | CV5     |          |
| CV22-064 | Water     | 340.7           | 158         | -53     | 570199.3 | 5930782.3 | 373.2         | NQ        | CV5     |          |
| CV22-065 | Land      | 242.0           | 158         | -45     | 570331.7 | 5930722.3 | 381.7         | NQ        | CV5     |          |
| CV22-066 | Land      | 437.0           | 158         | -48     | 571560.0 | 5931300.0 | 377.0         | NQ        | CV5     |          |
| CV22-067 | Land      | 281.1           | 158         | -45     | 570426.4 | 5930755.6 | 380.0         | NQ        | CV5     |          |
| CV22-068 | Land      | 233.0           | 158         | -45     | 569930.0 | 5930522.4 | 378.2         | NQ        | CV5     |          |
| CV22-069 | Land      | 494.1           | 158         | -65     | 571560.6 | 5931295.6 | 377.0         | NQ        | CV5     |          |
| CV22-070 | Water     | 297.4           | 158         | -45     | 570118.7 | 5930731.4 | 373.2         | NQ        | CV5     |          |
| CV22-071 | Land      | 377.0           | 158         | -45     | 569827.9 | 5930505.3 | 377.5         | NQ        | CV5     |          |
| CV22-072 | Water     | 404.0           | 158         | -45     | 570080.9 | 5930689.0 | 373.2         | NQ        | CV5     |          |
| CV22-073 | Land      | 541.9           | 158         | -52     | 571274.6 | 5931307.1 | 381.4         | NQ        | CV5     |          |
| CV22-074 | Land      | 398.0           | 158         | -45     | 569719.7 | 5930500.1 | 385.9         | NQ        | CV5     |          |
| CV22-075 | Water     | 372.4           | 158         | -45     | 569987.6 | 5930639.4 | 373.7         | NQ        | CV5     |          |
| CV22-076 | Land      | 161.0           | 158         | -45     | 571349.0 | 5930872.5 | 377.7         | NQ        | CV5     |          |
| CV22-077 | Land      | 209.0           | 200         | -45     | 564974.5 | 5927821.5 | 390.9         | NQ        | CV13    |          |
| CV22-078 | Land      | 163.8           | 158         | -65     | 571348.8 | 5930872.4 | 377.4         | NQ        | CV5     |          |
| CV22-079 | Land      | 425.0           | 158         | -45     | 571661.1 | 5931296.1 | 379.5         | NQ        | CV5     |          |
| CV22-080 | Water     | 359.0           | 158         | -45     | 569929.5 | 5930618.7 | 374.3         | NQ        | CV5     |          |
| CV22-081 | Land      | 50.0            | 200         | -80     | 564974.4 | 5927822.2 | 390.9         | NQ        | CV13    |          |
| CV22-082 | Land      | 186.7           | 200         | -45     | 565010.2 | 5927856.7 | 398.5         | NQ        | CV13    |          |
| CV22-083 | Land      | 440.0           | 158         | -65     | 571660.9 | 5931296.4 | 379.5         | NQ        | CV5     |          |
| CV22-084 | Land      | 247.8           | 200         | -80     | 565010.3 | 5927857.6 | 398.5         | NQ        | CV13    |          |
| CV22-085 | Land      | 201.1           | 200         | -45     | 565050.0 | 5927857.9 | 399.2         | NQ        | CV13    |          |
| CV22-086 | Water     | 200.0           | 158         | -45     | 571400.8 | 5931070.6 | 373.6         | NQ        | CV5     |          |
| CV22-087 | Land      | 461.0           | 158         | -45     | 571192.0 | 5931275.1 | 380.1         | NQ        | CV5     |          |
| CV22-088 | Land      | 185.0           | 140         | -45     | 565052.8 | 5927858.4 | 399.0         | NQ        | CV13    |          |
| CV22-089 | Water     | 251.0           | 158         | -45     | 571636.1 | 5931142.4 | 373.1         | NQ        | CV5     |          |
| CV22-090 | Land      | 416.0           | 158         | -45     | 571743.8 | 5931362.1 | 378.3         | NQ        | CV5     |          |
| CV22-091 | Land      | 200.0           | 135         | -45     | 565249.5 | 5928035.3 | 429.6         | NQ        | CV13    |          |
| CV22-092 | Land      | 260.0           | 145         | -45     | 565267.4 | 5928079.4 | 434.6         | NQ        | CV13    |          |
| CV22-093 | Land      | 408.2           | 158         | -65     | 571743.5 | 5931362.3 | 378.3         | NQ        | CV5     |          |
| CV22-094 | Land      | 320.0           | 158         | -45     | 571087.1 | 5931259.2 | 382.9         | NQ        | CV5     |          |
| CV22-095 | Land      | 58.9            | 145         | -65     | 565266.9 | 5928080.0 | 434.7         | NQ        | CV13    |          |
| CV22-096 | Land      | 218.0           | 140         | -45     | 565731.7 | 5928451.9 | 386.0         | NQ        | CV13    |          |
| CV22-097 | Land      | 506.1           | 158         | -72     | 571644.7 | 5931342.7 | 378.5         | NQ        | CV5     |          |
| CV22-098 | Land      | 374.0           | 158         | -45     | 570791.5 | 5931143.5 | 380.7         | NQ        | CV5     |          |
| CV22-099 | Land      | 248.1           | 140         | -45     | 565795.5 | 5928473.1 | 382.7         | NQ        | CV13    |          |
| CV22-100 | Land      | 458.0           | 158         | -45     | 571472.6 | 5931356.6 | 376.6         | NQ        | CV5     |          |
| CV22-101 | Land      | 245.1           | 140         | -65     | 565795.1 | 5928473.5 | 382.7         | NQ        | CV13    |          |
| CV22-102 | Land      | 393.2           | 158         | -45     | 570626.6 | 5931060.4 | 378.5         | NQ        | CV5     |          |
| CV22-103 | Land      | 269.0           | 200         | -45     | 564406.1 | 5927962.1 | 403.8         | NQ        | CV13    |          |
| CV22-104 | Land      | 68.0            | 200         | -65     | 564406.1 | 5927962.5 | 403.7         | NQ        | CV13    |          |
| CV23-105 | Land      | 452.0           | 158         | -65     | 571832.1 | 5931386.7 | 376.5         | NQ        | CV5     |          |
| CV23-106 | Land      | 491.0           | 158         | -65     | 571929.4 | 5931439.1 | 378.9         | NQ        | CV5     |          |
| CV23-107 | Land      | 428.2           | 158         | -65     | 572029.5 | 5931469.1 | 377.9         | NQ        | CV5     |          |
| CV23-108 | Land      | 461.0           | 158         | -65     | 572118.4 | 5931506.1 | 374.0         | NQ        | CV5     |          |
| CV23-109 | Land      | 392.1           | 158         | -45     | 571832.3 | 5931386.2 | 376.5         | NQ        | CV5     |          |
| CV23-110 | Land      | 431.0           | 158         | -45     | 571866.1 | 5931434.5 | 375.7         | NQ        | CV5     |          |
| CV23-111 | Land      | 356.0           | 158         | -45     | 572021.3 | 5931473.5 | 376.0         | NQ        | CV5     |          |

GEO-TABLE\_2023-07-10\_DD H Attributes - Corvette

| Hole ID   | Substrate | Total Depth (m) | Azimuth (°) | Dip (°) | Easting  | Northing  | Elevation (m) | Core Size | Cluster | Comments            |
|-----------|-----------|-----------------|-------------|---------|----------|-----------|---------------|-----------|---------|---------------------|
| CV23-112  | Land      | 377.1           | 158         | -45     | 571925.1 | 5931436.2 | 379.4         | NQ        | CV5     |                     |
| CV23-113  | Land      | 389.0           | 158         | -45     | 572118.5 | 5931505.7 | 374.2         | NQ        | CV5     |                     |
| CV23-114  | Land      | 500.1           | 158         | -55     | 571865.9 | 5931434.7 | 375.7         | NQ        | CV5     |                     |
| CV23-115  | Land      | 431.1           | 158         | -45     | 572057.1 | 5931528.6 | 371.6         | NQ        | CV5     |                     |
| CV23-116  | Land      | 476.0           | 158         | -65     | 572208.5 | 5931538.3 | 373.3         | NQ        | CV5     |                     |
| CV23-117  | Land      | 566.1           | 158         | -75     | 571865.9 | 5931434.7 | 375.7         | NQ        | CV5     |                     |
| CV23-118  | Land      | 437.1           | 158         | -45     | 572208.5 | 5931538.3 | 373.3         | NQ        | CV5     |                     |
| CV23-119  | Land      | 389.0           | 158         | -45     | 572099.4 | 5931442.2 | 373.8         | NQ        | CV5     |                     |
| CV23-120  | Land      | 443.0           | 158         | -45     | 572150.2 | 5931552.7 | 376.5         | NQ        | CV5     |                     |
| CV23-121  | Land      | 454.7           | 158         | -48     | 571779.2 | 5931409.1 | 376.0         | NQ        | CV5     |                     |
| CV23-122  | Land      | 403.9           | 158         | -45     | 572167.6 | 5931496.0 | 375.3         | NQ        | CV5     |                     |
| CV23-123  | Land      | 386.0           | 158         | -45     | 571997.7 | 5931407.9 | 374.2         | NQ        | CV5     |                     |
| CV23-124  | Land      | 653.0           | 158         | -45     | 571955.3 | 5931497.9 | 374.4         | NQ        | CV5     |                     |
| CV23-125  | Land      | 545.0           | 158         | -65     | 572647.7 | 5931670.5 | 382.4         | NQ        | CV5     |                     |
| CV23-126  | Land      | 83.1            | 158         | -47     | 571680.9 | 5931383.6 | 375.3         | NQ        | CV5     | Hole lost           |
| CV23-127  | Land      | 548.0           | 158         | -59     | 571680.9 | 5931383.8 | 375.3         | NQ        | CV5     |                     |
| CV23-128  | Land      | 362.0           | 158         | -45     | 571212.0 | 5931077.7 | 376.5         | NQ        | CV5     |                     |
| CV23-129  | Land      | 380.0           | 158         | -45     | 571100.3 | 5931096.5 | 375.6         | NQ        | CV5     |                     |
| CV23-130  | Land      | 377.0           | 158         | -45     | 571171.8 | 5931167.6 | 374.9         | NQ        | CV5     |                     |
| CV23-131  | Ice       | 454.9           | 158         | -45     | 571907.3 | 5931366.9 | 373.2         | NQ        | CV5     |                     |
| CV23-132  | Land      | 374.0           | 158         | -49     | 571068.0 | 5931148.3 | 374.7         | NQ        | CV5     |                     |
| CV23-133  | Land      | 604.8           | 220         | -45     | 572646.6 | 5931668.7 | 382.6         | NQ        | CV5     |                     |
| CV23-134  | Land      | 331.0           | 158         | -45     | 571281.9 | 5931163.8 | 379.2         | NQ        | CV5     |                     |
| CV23-135  | Land      | 360.6           | 158         | -60     | 571171.6 | 5931167.9 | 374.9         | NQ        | CV5     |                     |
| CV23-136  | Ice       | 403.9           | 158         | -45     | 572240.8 | 5931603.3 | 373.1         | NQ        | CV5     |                     |
| CV23-137  | Land      | 389.0           | 158         | -65     | 571067.9 | 5931148.6 | 374.7         | NQ        | CV5     |                     |
| CV23-138  | Land      | 359.1           | 158         | -60     | 571281.9 | 5931163.8 | 379.2         | NQ        | CV5     |                     |
| CV23-139  | Ice       | 565.9           | 158         | -65     | 572396.1 | 5931617.8 | 372.9         | NQ        | CV5     |                     |
| CV23-140  | Ice       | 545.3           | 158         | -65     | 572306.4 | 5931573.2 | 373.0         | NQ        | CV5     |                     |
| CV23-141  | Land      | 400.9           | 158         | -65     | 571781.4 | 5931403.7 | 377.9         | NQ        | CV5     |                     |
| CV23-142  | Land      | 359.0           | 158         | -73     | 571387.3 | 5931180.7 | 377.2         | NQ        | CV5     |                     |
| CV23-143  | Land      | 530.2           | 158         | -45     | 572647.9 | 5931670.0 | 382.4         | NQ        | CV5     |                     |
| CV23-144  | Land      | 25.7            | 0           | -90     | 570316.3 | 5930295.9 | 380.0         | HQ        | CV5     | Hydrogeology hole   |
| CV23-145  | Land      | 53.0            | 0           | -90     | 569657.7 | 5930878.2 | 372.7         | HQ        | CV5     | Hydrogeology hole   |
| CV23-146  | Ice       | 416.0           | 158         | -45     | 572306.6 | 5931572.9 | 373.2         | NQ        | CV5     |                     |
| CV23-147  | Land      | 185.0           | 0           | -90     | 571121.4 | 5931096.9 | 376.0         | NQ        | CV5     | Hydrogeology hole   |
| CV23-148  | Land      | 332.0           | 158         | -58     | 571387.4 | 5931180.3 | 377.3         | NQ        | CV5     |                     |
| CV23-149  | Land      | 199.7           | 0           | -90     | 572122.5 | 5944352.1 | 350.9         | HQ        | n/a     | Infrastructure hole |
| CV23-150  | Land      | 302.1           | 0           | -90     | 571426.9 | 5931160.9 | 376.7         | NQ        | CV5     | Hydrogeology hole   |
| CV23-151  | Ice       | 486.0           | 158         | -45     | 572396.1 | 5931617.8 | 372.9         | NQ        | CV5     |                     |
| CV23-152  | Land      | 398.0           | 158         | -47     | 570714.1 | 5931114.0 | 378.8         | NQ        | CV5     |                     |
| CV23-153  | Land      | 300.1           | 0           | -90     | 571785.2 | 5931397.3 | 378.6         | NQ        | CV5     | Hydrogeology hole   |
| CV23-154  | Ice       | 574.9           | 158         | -65     | 572487.3 | 5931652.3 | 372.9         | NQ        | CV5     |                     |
| CV23-155  | Land      | 24.9            | 0           | -90     | 571686.6 | 5930748.6 | 379.8         | HQ        | CV5     | Hydrogeology hole   |
| CV23-156  | Land      | 581.3           | 176         | -67     | 572647.4 | 5931670.4 | 382.6         | NQ        | CV5     |                     |
| CV23-157  | Land      | 278.1           | 0           | -90     | 570694.6 | 5931128.2 | 379.0         | NQ        | CV5     | Hydrogeology hole   |
| CV23-158  | Land      | 203.0           | 0           | -90     | 572137.1 | 5944484.5 | 342.3         | HQ        | n/a     | Infrastructure hole |
| CV23-159  | Land      | 50.0            | 0           | -90     | 570520.0 | 5931135.3 | 375.6         | HQ        | CV5     | Hydrogeology hole   |
| CV23-160  | Land      | 14.0            | 158         | -45     | 569567.5 | 5930470.9 | 380.4         | NQ        | CV5     | Hole lost           |
| CV23-160A | Land      | 443.0           | 158         | -45     | 569567.5 | 5930470.9 | 380.4         | NQ        | CV5     |                     |
| CV23-161  | Land      | 360.0           | 158         | -45     | 569627.6 | 5930449.9 | 384.8         | NQ        | CV5     |                     |

GEO-TABLE\_2023-07-10\_DDHH Attributes - Corvette

| Hole ID   | Substrate | Total Depth (m) | Azimuth (°) | Dip (°) | Easting  | Northing  | Elevation (m) | Core Size | Cluster | Comments            |
|-----------|-----------|-----------------|-------------|---------|----------|-----------|---------------|-----------|---------|---------------------|
| CV23-162  | Ice       | 482.0           | 158         | -45     | 572487.3 | 5931652.3 | 372.0         | NQ        | CV5     |                     |
| CV23-163  | Land      | 212.1           | 0           | -90     | 571920.4 | 5944521.2 | 338.8         | HQ        | n/a     | Infrastructure hole |
| CV23-164  | Land      | 200.0           | 0           | -90     | 570020.1 | 5930773.5 | 378.1         | NQ        | CV5     | Hydrogeology hole   |
| CV23-165  | Land      | 555.1           | 165         | -60     | 572647.7 | 5931669.8 | 382.4         | NQ        | CV5     |                     |
| CV23-166  | Land      | 43.3            | 0           | -90     | 569353.0 | 5930256.3 | 389.1         | NQ        | CV5     | Hydrogeology hole   |
| CV23-166A | Land      | 50.0            | 0           | -90     | 569353.0 | 5930256.3 | 389.1         | HQ        | CV5     | Hydrogeology hole   |
| CV23-167  | Land      | 25.5            | 0           | -90     | 572024.6 | 5931654.1 | 374.9         | HQ        | CV5     | Hydrogeology hole   |
| CV23-168  | Ice       | 18.2            | 158         | -47     | 571515.8 | 5931250.9 | 373.0         | NQ        | CV5     | Hole lost           |
| CV23-168A | Ice       | 388.1           | 158         | -47     | 571515.8 | 5931250.9 | 373.0         | NQ        | CV5     |                     |
| CV23-169  | Land      | 302.0           | 0           | -90     | 569733.9 | 5930466.5 | 379.2         | NQ        | CV5     | Hydrogeology hole   |
| CV23-170  | Ice       | 431.6           | 158         | -45     | 572461.9 | 5931596.5 | 373.0         | NQ        | CV5     |                     |
| CV23-171  | Land      | 373.4           | 158         | -63     | 569568.8 | 5930470.2 | 380.1         | NQ        | CV5     |                     |
| CV23-172  | Land      | 404.0           | 158         | -45     | 569479.9 | 5930448.2 | 384.1         | NQ        | CV5     |                     |
| CV23-173  | Ice       | 516.7           | 158         | -65     | 572461.9 | 5931596.5 | 373.0         | NQ        | CV5     |                     |
| CV23-174  | Land      | 421.7           | 0           | -90     | 569992.0 | 5930469.4 | 381.0         | NQ        | CV5     | Hydrogeology hole   |
| CV23-175  | Ice       | 458.0           | 158         | -57     | 571316.1 | 5931230.2 | 372.9         | NQ        | CV5     |                     |
| CV23-176  | Land      | 434.0           | 158         | -45     | 569388.0 | 5930399.5 | 386.2         | NQ        | CV5     |                     |
| CV23-177  | Ice       | 394.7           | 158         | -45     | 571453.4 | 5931292.5 | 373.0         | NQ        | CV5     |                     |
| CV23-178  | Land      | 473.2           | 158         | -62     | 569479.8 | 5930448.6 | 384.1         | NQ        | CV5     |                     |
| CV23-179  | Ice       | 437.0           | 158         | -45     | 572368.8 | 5931547.6 | 372.9         | NQ        | CV5     |                     |
| CV23-180  | Land      | 379.6           | 150         | -60     | 569387.8 | 5930400.0 | 386.0         | NQ        | CV5     |                     |
| CV23-181  | Ice       | 354.0           | 158         | -46     | 571316.2 | 5931230.0 | 372.9         | NQ        | CV5     |                     |
| CV23-182  | Land      | 369.0           | 158         | -45     | 569295.1 | 5930361.6 | 389.4         | NQ        | CV5     |                     |
| CV23-183  | Ice       | 477.1           | 158         | -65     | 572368.7 | 5931548.1 | 372.8         | NQ        | CV5     |                     |
| CV23-184  | Land      | 417.4           | 158         | -45     | 569198.6 | 5930332.0 | 392.7         | NQ        | CV5     |                     |
| CV23-185  | Ice       | 425.0           | 158         | -60     | 571453.3 | 5931292.7 | 372.9         | NQ        | CV5     |                     |
| CV23-186  | Land      | 49.6            | 0           | -90     | 572596.5 | 5931710.3 | 374.2         | HQ        | CV5     | Hydrogeology hole   |
| CV23-187  | Land      | 287.0           | 158         | -45     | 569698.8 | 5930420.6 | 381.0         | NQ        | CV5     |                     |
| CV23-188  | Land      | 362.0           | 158         | -60     | 569294.9 | 5930361.9 | 389.3         | NQ        | CV5     |                     |
| CV23-189  | Land      | 287.0           | 158         | -45     | 571702.0 | 5931318.4 | 380.1         | NQ        | CV5     |                     |
| CV23-190  | Land      | 221.1           | 338         | -45     | 569596.9 | 5930277.1 | 382.2         | NQ        | CV5     |                     |

(1) Coordinate system NAD83 / UTM zone 18N; (2) All drill holes are diamond drill; (3) Azimuths and dips presented are those 'planned' and may vary off collar/downhole; Note: 'Hydrogeology holes' and 'infrastructure holes' completed to support a hydrogeological model and proposed infrastructure layout for Project, respectively.

GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID  | From (m)                        | To (m) | Interval (m) | Comments         |
|----------|---------------------------------|--------|--------------|------------------|
| CF21-001 | 23.0                            | 171.6  | <b>148.7</b> |                  |
|          | 179.1                           | 182.8  | 3.8          |                  |
|          | 199.7                           | 213.4  | <b>13.7</b>  |                  |
| CF21-002 | 73.6                            | 76.1   | 2.4          |                  |
|          | 78.9                            | 205.4  | <b>126.5</b> |                  |
|          | 206.5                           | 233.0  | <b>26.5</b>  |                  |
| CF21-003 | 22.0                            | 81.1   | <b>59.1</b>  |                  |
| CF21-004 | 38.0                            | 101.6  | <b>63.6</b>  |                  |
| CF21-014 | 26.5                            | 31.1   | 4.6          |                  |
|          | 44.7                            | 47.1   | 2.4          |                  |
| CV22-015 | 27.1                            | 75.1   | <b>48.0</b>  |                  |
| CV22-016 | 89.2                            | 194.0  | <b>104.8</b> |                  |
|          | 195.5                           | 210.0  | <b>14.5</b>  |                  |
| CV22-017 | 162.8                           | 235.8  | <b>73.0</b>  |                  |
|          | 269.9                           | 272.1  | 2.2          |                  |
| CV22-018 | 54.2                            | 68.8   | <b>14.6</b>  |                  |
|          | 73.3                            | 82.4   | 9.1          |                  |
| CV22-019 | 108.5                           | 207.3  | <b>98.9</b>  |                  |
| CV22-020 | 38.8                            | 50.1   | <b>11.3</b>  |                  |
| CV22-021 | 68.8                            | 72.0   | 3.3          |                  |
| CV22-022 | 33.1                            | 53.8   | <b>20.7</b>  |                  |
|          | 77.3                            | 80.9   | 3.7          |                  |
| CV22-023 | 117.9                           | 120.6  | 2.7          |                  |
| CV22-024 | 45.5                            | 66.4   | <b>20.8</b>  |                  |
| CV22-025 | 22.7                            | 85.3   | <b>62.6</b>  |                  |
|          | 90.6                            | 97.5   | 6.8          |                  |
| CV22-026 | 33.9                            | 36.6   | 2.7          |                  |
|          | 47.1                            | 54.8   | 7.6          |                  |
|          | 56.3                            | 59.4   | 3.1          |                  |
|          | 71.8                            | 147.0  | <b>75.2</b>  |                  |
| CV22-027 | 37.4                            | 51.7   | <b>14.3</b>  |                  |
|          | 55.1                            | 107.5  | <b>52.4</b>  |                  |
| CV22-028 | 132.0                           | 232.9  | <b>100.9</b> |                  |
| CV22-029 | 64.4                            | 127.1  | <b>62.8</b>  |                  |
| CV22-030 | 86.4                            | 222.1  | <b>135.7</b> |                  |
|          | 226.6                           | 239.2  | <b>12.6</b>  |                  |
| CV22-031 | 107.9                           | 195.2  | <b>87.3</b>  |                  |
| CV22-032 | <i>No pegmatite intersected</i> |        |              | <i>Hole lost</i> |
| CV22-033 | 19.8                            | 25.0   | 5.1          |                  |
|          | 128.7                           | 145.5  | <b>16.8</b>  |                  |
|          | 149.3                           | 194.7  | <b>45.4</b>  |                  |
| CV22-034 | 173.5                           | 178.9  | 5.4          |                  |
|          | 183.4                           | 187.3  | 3.9          |                  |
|          | 237.3                           | 255.0  | <b>17.7</b>  |                  |
|          | 273.2                           | 277.3  | 4.0          |                  |
|          | 323.1                           | 326.7  | 3.6          |                  |

## GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID  | From (m)                                  | To (m) | Interval (m)       | Comments |
|----------|---|--------|--------------------|----------|
| CV22-035 | 0.78                                      | 3.3    | 2.5 <sup>(2)</sup> |          |
|          | 123.9                                     | 223.8  | <b>100.0</b>       |          |
| CV22-036 | 176.5                                     | 183.8  | 7.3                |          |
|          | 193.1                                     | 211.3  | <b>18.2</b>        |          |
|          | 232.7                                     | 238.1  | 5.4                |          |
|          | 249.3                                     | 252.3  | 3.0                |          |
|          | 260.6                                     | 287.6  | <b>27.0</b>        |          |
|          | 320.8                                     | 324.0  | 3.1                |          |
| CV22-037 | 35.6                                      | 46.1   | <b>10.6</b>        |          |
|          | 145.2                                     | 157.2  | <b>12.0</b>        |          |
|          | 158.9                                     | 181.5  | <b>22.7</b>        |          |
|          | 184.8                                     | 197.2  | <b>12.4</b>        |          |
| CV22-038 | 214.0                                     | 273.3  | <b>59.3</b>        |          |
| CV22-039 | 30.4                                      | 39.2   | 8.8                |          |
|          | 138.0                                     | 178.5  | <b>40.5</b>        |          |
|          | 186.8                                     | 191.3  | 4.4                |          |
| CV22-040 | 214.0                                     | 275.9  | <b>61.9</b>        |          |
|          | 303.6                                     | 371.6  | <b>68.0</b>        |          |
|          | 377.3                                     | 383.9  | 6.6                |          |
| CV22-041 | 52.9                                      | 63.2   | <b>10.3</b>        |          |
|          | 163.9                                     | 201.6  | <b>37.7</b>        |          |
| CV22-042 | 54.8                                      | 59.8   | 5.1                |          |
|          | 131.8                                     | 291.5  | <b>159.7</b>       |          |
| CV22-043 | 201.5                                     | 206.3  | 4.8                |          |
|          | 258.6                                     | 262.2  | 3.7                |          |
|          | 319.4                                     | 342.2  | <b>22.7</b>        |          |
|          | 422.9                                     | 425.1  | 2.2                |          |
| CV22-044 | 136.0                                     | 142.7  | 6.7                |          |
|          | 244.4                                     | 330.7  | <b>86.2</b>        |          |
| CV22-045 | 215.6                                     | 242.2  | <b>26.6</b>        |          |
|          | 266.7                                     | 268.8  | 2.1                |          |
|          | 311.9                                     | 336.3  | <b>24.4</b>        |          |
| CV22-046 | 207.7                                     | 209.7  | 2.0                |          |
|          | 213.9                                     | 218.7  | 4.8                |          |
|          | 222.9                                     | 224.9  | 2.0                |          |
|          | 408.7                                     | 415.1  | 6.4                |          |
|          | 439.8                                     | 449.4  | 9.6                |          |
| CV22-047 | <i>No pegmatite intersected</i>           |        |                    |          |
| CV22-048 | 181.3                                     | 228.7  | <b>47.4</b>        |          |
|          | 312.9                                     | 320.5  | 7.6                |          |
|          | 390.1                                     | 425.8  | <b>35.7</b>        |          |
|          | 428.8                                     | 434.4  | 5.6                |          |
| CV22-049 | 141.3                                     | 237.3  | <b>96.0</b>        |          |
| CV22-050 | 178.2                                     | 207.6  | <b>29.3</b>        |          |
| CV22-051 | <i>No &gt;2 m pegmatite intersections</i> |        |                    |          |
| CV22-052 | 124.7                                     | 229.3  | <b>104.5</b>       |          |

## GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID  | From (m) | To (m) | Interval (m)              | Comments |
|----------|----------|--------|---------------------------|----------|
| CV22-053 | 88.4     | 189.8  | <b>101.4</b>              |          |
| CV22-054 | 32.0     | 35.8   | 3.8                       |          |
|          | 40.6     | 66.0   | <b>25.4</b>               |          |
|          | 73.8     | 81.0   | 7.2                       |          |
| CV22-055 | 167.4    | 202.9  | <b>35.5</b>               |          |
| CV22-056 | 96.8     | 186.3  | <b>89.5</b>               |          |
| CV22-057 | 23.0     | 30.6   | 7.5                       |          |
|          | 41.1     | 56.4   | <b>15.3</b>               |          |
|          | 67.9     | 70.6   | 2.7                       |          |
|          | 226.0    | 232.1  | 6.2                       |          |
| CV22-058 | 104.9    | 119.9  | <b>15.0</b>               |          |
|          | 124.4    | 130.2  | 5.8                       |          |
| CV22-059 | 57.3     | 176.4  | <b>119.1</b>              |          |
|          | 304.9    | 319.9  | <b>15.0</b>               |          |
| CV22-060 | 29.6     | 53.8   | <b>24.3</b>               |          |
|          | 94.9     | 97.5   | 2.6                       |          |
|          | 116.7    | 119.2  | 2.5                       |          |
| CV22-061 | 86.8     | 97.4   | <b>10.6</b>               |          |
| CV22-062 | 25.3     | 85.3   | <b>60.0</b>               |          |
|          | 146.5    | 152.3  | 5.8                       |          |
| CV22-063 | 69.9     | 109.8  | <b>39.9</b>               |          |
|          | 174.3    | 189.6  | <b>15.3</b>               |          |
| CV22-064 | 77.4     | 119.5  | <b>42.2</b>               |          |
|          | 141.5    | 143.6  | 2.1                       |          |
|          | 160.5    | 178.3  | <b>17.8</b>               |          |
|          | 183.4    | 212.5  | <b>29.1</b>               |          |
|          | 215.2    | 219.4  | 4.3                       |          |
|          | 220.2    | 231.1  | <b>10.9</b>               |          |
|          | 240.5    | 246.7  | 6.2                       |          |
|          | 248.8    | 252.9  | 4.1                       |          |
| 313.8    | 321.8    | 8.0    |                           |          |
| CV22-065 | 7.2      | 42.0   | <b>34.8</b>               |          |
|          | 54.7     | 74.6   | <b>19.9</b>               |          |
|          | 168.6    | 171.5  | 2.9                       |          |
| CV22-066 | 54.1     | 62.9   | 8.7                       |          |
|          | 162.1    | 275.5  | <b>113.4</b>              |          |
| CV22-067 | 3.5      | 44.6   | <b>41.1</b>               |          |
| CV22-068 | 2.5      | 25.2   | <b>22.7<sup>(2)</sup></b> |          |
|          | 188.5    | 191.7  | 3.2                       |          |
| CV22-069 | 56.3     | 61.6   | 5.3                       |          |
|          | 71.0     | 86.6   | <b>15.7</b>               |          |
|          | 205.8    | 251.0  | <b>45.3</b>               |          |
|          | 315.7    | 318.9  | 3.2                       |          |
| CV22-070 | 83.2     | 88.3   | 5.1                       |          |
|          | 163.0    | 194.2  | <b>31.2</b>               |          |
|          | 199.4    | 201.6  | 2.1                       |          |

## GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID  | From (m)                                  | To (m) | Interval (m)              | Comments |
|----------|---|--------|---------------------------|----------|
| CV22-071 | 8.0                                       | 21.8   | <b>13.8<sup>(2)</sup></b> |          |
|          | 96.9                                      | 101.4  | 4.5                       |          |
|          | 183.4                                     | 189.8  | 6.4                       |          |
| CV22-072 | 71.7                                      | 74.5   | 2.8                       |          |
|          | 144.5                                     | 169.2  | <b>24.6</b>               |          |
|          | 194.2                                     | 204.2  | <b>10.0</b>               |          |
|          | 344.6                                     | 354.6  | <b>10.0</b>               |          |
| CV22-073 | 445.4                                     | 451.0  | 5.6                       |          |
| CV22-074 | 82.9                                      | 85.0   | 2.1                       |          |
|          | 170.4                                     | 187.3  | <b>16.9</b>               |          |
|          | 198.9                                     | 208.1  | 9.2                       |          |
|          | 255.4                                     | 259.5  | 4.1                       |          |
|          | 288.2                                     | 290.7  | 2.4                       |          |
| CV22-075 | 96.5                                      | 137.7  | <b>41.3</b>               |          |
|          | 141.9                                     | 150.9  | 9.0                       |          |
|          | 205.9                                     | 211.2  | 5.3                       |          |
|          | 293.3                                     | 304.7  | <b>11.4</b>               |          |
|          | 331.8                                     | 334.8  | 3.0                       |          |
| CV22-076 | 14.6                                      | 18.1   | 3.5                       |          |
| CV22-077 | 3.1                                       | 25.5   | <b>22.4<sup>(2)</sup></b> |          |
|          | 149.5                                     | 153.3  | 3.8                       |          |
| CV22-078 | 46.6                                      | 49.6   | 3.0                       |          |
| CV22-079 | 37.6                                      | 42.6   | 5.0                       |          |
|          | 111.9                                     | 118.3  | 6.4                       |          |
|          | 146.5                                     | 160.8  | <b>14.3</b>               |          |
|          | 219.7                                     | 244.4  | <b>24.7</b>               |          |
| CV22-080 | 80.6                                      | 130.1  | <b>49.5</b>               |          |
|          | 204.3                                     | 208.6  | 4.3                       |          |
|          | 279.5                                     | 291.0  | <b>11.5</b>               |          |
|          | 316.2                                     | 320.1  | 3.9                       |          |
| CV22-081 | 2.8                                       | 18.3   | <b>15.6<sup>(2)</sup></b> |          |
| CV22-082 | 26.5                                      | 35.7   | 9.2                       |          |
|          | 173.3                                     | 176.3  | 2.9                       |          |
|          | 177.9                                     | 180.2  | 2.3                       |          |
| CV22-083 | 42.7                                      | 49.0   | 6.3                       |          |
|          | 176.4                                     | 333.4  | <b>156.9</b>              |          |
| CV22-084 | 26.9                                      | 34.3   | 7.4                       |          |
|          | 134.8                                     | 143.2  | 8.4                       |          |
| CV22-085 | 27.7                                      | 31.9   | 4.2                       |          |
|          | 167.4                                     | 175.4  | 8.1                       |          |
| CV22-086 | 74.3                                      | 76.8   | 2.5                       |          |
|          | 83.4                                      | 86.2   | 2.8                       |          |
| CV22-087 | <i>No &gt;2 m pegmatite intersections</i> |        |                           |          |
| CV22-088 | 28.7                                      | 34.6   | 5.9                       |          |
|          | 165.5                                     | 168.3  | 2.8                       |          |
| CV22-089 | 88.2                                      | 92.4   | 4.3                       |          |



## GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID  | From (m)                        | To (m) | Interval (m) | Comments |
|----------|---------------------------------|--------|--------------|----------|
| CV22-090 | 77.7                            | 80.4   | 2.6          |          |
|          | 157.4                           | 160.5  | 3.1          |          |
|          | 184.1                           | 190.6  | 6.5          |          |
|          | 242.7                           | 261.3  | <b>18.7</b>  |          |
| CV22-091 | 41.2                            | 50.9   | 9.7          |          |
| CV22-092 | 29.3                            | 51.9   | <b>22.6</b>  |          |
| CV22-093 | 82.4                            | 88.0   | 5.6          |          |
|          | 99.2                            | 109.0  | 9.8          |          |
|          | 219.1                           | 271.2  | <b>52.2</b>  |          |
|          | 332.0                           | 334.6  | 2.6          |          |
|          | 336.0                           | 338.3  | 2.3          |          |
|          | 350.1                           | 352.4  | 2.3          |          |
|          | 386.8                           | 390.2  | 3.4          |          |
| CV22-094 | <i>No pegmatite intersected</i> |        |              |          |
| CV22-095 | 25.0                            | 28.7   | 3.7          |          |
|          | 33.1                            | 40.1   | 7.0          |          |
| CV22-096 | 14.3                            | 29.2   | <b>14.9</b>  |          |
|          | 203.8                           | 211.8  | 8.0          |          |
| CV22-097 | 114.3                           | 123.7  | 9.4          |          |
|          | 280.7                           | 285.0  | 4.3          |          |
| CV22-098 | 352.3                           | 354.3  | 2.0          |          |
| CV22-099 | 5.5                             | 41.5   | <b>36.0</b>  |          |
|          | 228.7                           | 232.3  | 3.6          |          |
| CV22-100 | 139.3                           | 148.5  | 9.1          |          |
|          | 250.8                           | 382.0  | <b>131.2</b> |          |
| CV22-101 | 4.5                             | 6.5    | 2.0          |          |
|          | 8.2                             | 41.3   | <b>33.1</b>  |          |
|          | 200.1                           | 204.8  | 4.7          |          |
|          | 212.8                           | 216.8  | 4.0          |          |
| CV22-102 | 19.1                            | 27.3   | 8.2          |          |
|          | 211.8                           | 222.3  | <b>10.4</b>  |          |
| CV22-103 | 23.8                            | 42.6   | <b>18.8</b>  |          |
| CV22-104 | 20.6                            | 37.9   | <b>17.3</b>  |          |
| CV23-105 | 96.65                           | 100.68 | 4.0          |          |
|          | 104.0                           | 114.7  | <b>10.7</b>  |          |
|          | 222.7                           | 306.4  | <b>83.7</b>  |          |
|          | 310.2                           | 321.7  | <b>11.5</b>  |          |
|          | 338.0                           | 357.2  | <b>19.2</b>  |          |
|          | 366.4                           | 386.7  | <b>20.3</b>  |          |
| CV23-106 | 155.2                           | 161.0  | 5.8          |          |
|          | 274.1                           | 317.2  | <b>43.1</b>  |          |
|          | 317.8                           | 406.3  | <b>88.5</b>  |          |
| CV23-107 | 195.0                           | 198.4  | 3.4          |          |
|          | 293.2                           | 358.6  | <b>65.4</b>  |          |
|          | 378.0                           | 380.5  | 2.6          |          |
| CV23-108 | 294.7                           | 348.6  | <b>54.0</b>  |          |

## GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID  | From (m)                        | To (m) | Interval (m) | Comments         |
|----------|---------------------------------|--------|--------------|------------------|
| CV23-109 | 91.9                            | 94.5   | 2.6          |                  |
|          | 164.5                           | 224.6  | <b>60.1</b>  |                  |
| CV23-110 | 125.4                           | 130.9  | 5.5          |                  |
|          | 184.4                           | 269.4  | <b>85.0</b>  |                  |
|          | 390.1                           | 392.4  | 2.4          |                  |
| CV23-111 | 156.1                           | 159.1  | 3.1          |                  |
|          | 227.7                           | 235.7  | 8.0          |                  |
|          | 253.4                           | 262.0  | 8.6          |                  |
| CV23-112 | 125.9                           | 131.2  | 5.2          |                  |
|          | 205.7                           | 239.4  | <b>33.7</b>  |                  |
| CV23-113 | 195.5                           | 198.7  | 3.2          |                  |
|          | 235.8                           | 252.6  | <b>16.9</b>  |                  |
|          | 255.3                           | 269.2  | <b>13.9</b>  |                  |
| CV23-114 | 144.9                           | 157.6  | <b>12.7</b>  |                  |
|          | 251.4                           | 307.6  | <b>56.3</b>  |                  |
|          | 324.9                           | 330.9  | 6.0          |                  |
| CV23-115 | 198.0                           | 214.8  | <b>16.9</b>  |                  |
|          | 230.6                           | 253.1  | <b>22.6</b>  |                  |
|          | 288.7                           | 293.9  | 5.3          |                  |
|          | 301.3                           | 325.1  | <b>23.8</b>  |                  |
| CV23-116 | 306.8                           | 378.8  | <b>71.9</b>  |                  |
| CV23-117 | 188.9                           | 200.3  | <b>11.4</b>  |                  |
|          | 281.4                           | 283.4  | 2.1          |                  |
| CV23-118 | 241.1                           | 272.0  | <b>30.8</b>  |                  |
| CV23-119 | 136.8                           | 139.7  | 2.9          |                  |
|          | 225.6                           | 231.8  | 6.1          |                  |
| CV23-120 | 239.9                           | 242.2  | 2.3          |                  |
|          | 245.2                           | 320.4  | <b>75.2</b>  |                  |
| CV23-121 | 104.3                           | 112.4  | 8.2          |                  |
|          | 175.7                           | 179.0  | 3.3          |                  |
|          | 191.5                           | 225.3  | <b>33.9</b>  |                  |
|          | 238.0                           | 240.3  | 2.3          |                  |
|          | 245.2                           | 277.6  | <b>32.4</b>  |                  |
| CV23-122 | 199.8                           | 203.2  | 3.4          |                  |
|          | 251.2                           | 260.9  | 9.7          |                  |
| CV23-123 | 104.0                           | 107.2  | 3.2          |                  |
|          | 190.9                           | 201.3  | <b>10.4</b>  |                  |
| CV23-124 | 177.5                           | 184.0  | 6.5          |                  |
|          | 255.8                           | 302.2  | <b>46.4</b>  |                  |
|          | 304.6                           | 309.5  | 4.9          |                  |
|          | 467.1                           | 469.7  | 2.5          |                  |
|          | 523.8                           | 528.5  | 4.7          |                  |
|          | 577.1                           | 588.3  | <b>11.2</b>  |                  |
| CV23-125 | 450.6                           | 480.4  | <b>29.8</b>  |                  |
| CV23-126 | <i>No pegmatite intersected</i> |        |              | <i>Hole lost</i> |

GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID  | From (m)                        | To (m) | Interval (m) | Comments                   |
|----------|---------------------------------|--------|--------------|----------------------------|
| CV23-127 | 125.7                           | 128.5  | 2.8          |                            |
|          | 239.5                           | 283.0  | <b>43.5</b>  |                            |
|          | 372.9                           | 379.0  | 6.1          |                            |
|          | 380.2                           | 396.9  | <b>16.7</b>  |                            |
| CV23-128 | 101.5                           | 131.4  | <b>29.9</b>  |                            |
| CV23-129 | 102.0                           | 199.2  | <b>97.2</b>  |                            |
| CV23-130 | 145.5                           | 246.7  | <b>101.2</b> |                            |
| CV23-131 | 78.4                            | 81.7   | 3.3          |                            |
|          | 157.4                           | 165.8  | 8.4          |                            |
|          | 179.3                           | 194.2  | <b>14.9</b>  |                            |
| CV23-132 | 145.7                           | 154.9  | 9.2          |                            |
|          | 164.0                           | 294.3  | <b>130.3</b> |                            |
| CV23-133 | 542.7                           | 546.6  | 3.9          |                            |
|          | 550.4                           | 554.4  | 3.9          |                            |
| CV23-134 | 6.1                             | 8.8    | 2.7          |                            |
|          | 123.3                           | 224.6  | <b>101.3</b> |                            |
| CV23-135 | 46.0                            | 55.0   | 9.0          |                            |
| CV23-136 | 325.6                           | 351.2  | <b>25.6</b>  |                            |
| CV23-137 | 46.2                            | 70.8   | <b>24.6</b>  |                            |
|          | 71.5                            | 76.1   | 4.6          |                            |
| CV23-138 | 4.0                             | 7.1    | 3.2          |                            |
|          | 126.0                           | 213.2  | <b>87.2</b>  |                            |
|          | 215.2                           | 248.5  | <b>33.3</b>  |                            |
|          | 265.3                           | 273.0  | 7.7          |                            |
| CV23-139 | 390.1                           | 429.6  | <b>39.5</b>  |                            |
|          | 463.8                           | 466.4  | 2.5          |                            |
|          | 474.3                           | 476.3  | 2.0          |                            |
| CV23-140 | 334.8                           | 339.6  | 4.8          |                            |
|          | 344.6                           | 378.1  | <b>33.5</b>  |                            |
|          | 389.1                           | 400.2  | <b>11.1</b>  |                            |
|          | 402.6                           | 406.6  | 4.0          |                            |
| CV23-141 | 125.6                           | 133.0  | 7.4          |                            |
|          | 240.3                           | 341.5  | <b>101.2</b> |                            |
|          | 362.0                           | 378.2  | <b>16.2</b>  |                            |
| CV23-142 | 169.7                           | 193.1  | <b>23.4</b>  |                            |
|          | 289.6                           | 294.4  | 4.8          |                            |
| CV23-143 | 392.7                           | 397.7  | 5.0          |                            |
| CV23-144 | <i>No pegmatite intersected</i> |        |              | <i>Hydrogeology hole</i>   |
| CV23-145 | <i>No pegmatite intersected</i> |        |              | <i>Hydrogeology hole</i>   |
| CV23-146 | 297.5                           | 301.0  | 3.5          |                            |
|          | 306.0                           | 312.1  | 6.1          |                            |
| CV23-147 | <i>No pegmatite intersected</i> |        |              | <i>Hydrogeology hole</i>   |
| CV23-148 | 137.3                           | 232.6  | <b>95.3</b>  |                            |
| CV23-149 | <i>n/a</i>                      |        |              | <i>Infrastructure hole</i> |
| CV23-150 | 35.8                            | 38.7   | 2.9          | <i>Hydrogeology hole</i>   |

GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID   | From (m)                        | To (m) | Interval (m)       | Comments                   |
|-----------|---------------------------------|--------|--------------------|----------------------------|
| CV23-151  | 336.8                           | 355.0  | <b>18.2</b>        |                            |
|           | 360.7                           | 364.7  | 4.0                |                            |
| CV23-152  | <i>No pegmatite intersected</i> |        |                    |                            |
| CV23-153  | <i>No pegmatite intersected</i> |        |                    | <i>Hydrogeology hole</i>   |
| CV23-154  | 430.2                           | 480.1  | <b>49.9</b>        |                            |
| CV23-155  | <i>No pegmatite intersected</i> |        |                    | <i>Hydrogeology hole</i>   |
| CV23-156  | 449.4                           | 476.9  | <b>27.5</b>        |                            |
| CV23-157  | <i>No pegmatite intersected</i> |        |                    | <i>Hydrogeology hole</i>   |
| CV23-158  | <i>n/a</i>                      |        |                    | <i>Infrastructure hole</i> |
| CV23-159  | <i>No pegmatite intersected</i> |        |                    | <i>Hydrogeology hole</i>   |
| CV23-160  | <i>No pegmatite intersected</i> |        |                    | <i>Hole lost</i>           |
| CV23-160A | 61.9                            | 189.5  | <b>127.7</b>       |                            |
|           | 197.1                           | 200.2  | 3.1                |                            |
|           | 251.6                           | 253.8  | 2.2                |                            |
|           | 326.8                           | 330.8  | 4.0                |                            |
| CV23-161  | 37.3                            | 42.4   | 5.1                |                            |
|           | 44.3                            | 46.8   | 2.6                |                            |
|           | 86.5                            | 96.1   | 9.6                |                            |
|           | 115.8                           | 149.2  | <b>33.4</b>        |                            |
|           | 153.6                           | 166.4  | <b>12.8</b>        |                            |
|           | 207.4                           | 215.6  | 8.2                |                            |
|           | 247.3                           | 250.5  | 3.3                |                            |
| CV23-162  | 358.3                           | 365.0  | 6.7                |                            |
| CV23-163  | <i>n/a</i>                      |        |                    | <i>Infrastructure hole</i> |
| CV23-164  | <i>No pegmatite intersected</i> |        |                    | <i>Hydrogeology hole</i>   |
| CV23-165  | 414.5                           | 450.5  | <b>36.0</b>        |                            |
| CV23-166  | 19.3                            | 25.0   | 5.7 <sup>(2)</sup> | <i>Hydrogeology hole</i>   |
| CV23-166A | 19.1                            | 25.2   | 6.2 <sup>(2)</sup> | <i>Hydrogeology hole</i>   |
| CV23-167  | <i>No pegmatite intersected</i> |        |                    | <i>Hydrogeology hole</i>   |
| CV23-168  | <i>No pegmatite intersected</i> |        |                    | <i>Hole lost</i>           |
| CV23-168A | 182.0                           | 239.7  | <b>57.7</b>        |                            |
| CV23-169  | 169.7                           | 173.1  | 3.4                | <i>Hydrogeology hole</i>   |
| CV23-170  | 310.8                           | 319.6  | 8.8                |                            |
| CV23-171  | 125.6                           | 129.9  | 4.3                |                            |
| CV23-172  | 85.7                            | 89.2   | 3.4                |                            |
|           | 106.3                           | 133.3  | <b>27.0</b>        |                            |
|           | 134.9                           | 169.5  | <b>34.5</b>        |                            |
|           | 170.1                           | 174.0  | 3.9                |                            |
|           | 185.4                           | 188.0  | 2.5                |                            |
|           | 312.7                           | 319.1  | 6.4                |                            |
|           | 327.2                           | 342.8  | <b>15.7</b>        |                            |
| CV23-173  | 378.5                           | 415.9  | <b>37.4</b>        |                            |
| CV23-174  | 149.4                           | 158.2  | 8.7                | <i>Hydrogeology hole</i>   |
|           | 213.5                           | 217.5  | 4.1                |                            |
|           | 221.5                           | 265.8  | <b>44.2</b>        |                            |
|           | 370.6                           | 373.8  | 3.2                |                            |

GEO-TABLE\_2023-07-10\_ Peg Hits (+2 m) - Corvette

| Hole ID  | From (m)                                  | To (m) | Interval (m)       | Comments                 |
|----------|---|--------|--------------------|--------------------------|
| CV23-175 | 63.9                                      | 66.1   | 2.2                |                          |
|          | 69.4                                      | 74.2   | 4.8                |                          |
| CV23-176 | 90.2                                      | 128.6  | <b>38.4</b>        |                          |
|          | 164.0                                     | 171.7  | 7.8                |                          |
|          | 178.1                                     | 186.9  | 8.8                |                          |
|          | 197.6                                     | 210.0  | <b>12.4</b>        |                          |
|          | 341.9                                     | 344.1  | 2.1                |                          |
| CV23-177 | 79.3                                      | 91.7   | <b>12.4</b>        |                          |
|          | 175.0                                     | 290.3  | <b>115.3</b>       |                          |
| CV23-178 | 132.6                                     | 136.3  | 3.6                |                          |
| CV23-179 | 291.7                                     | 295.1  | 3.4                |                          |
| CV23-180 | 92.0                                      | 98.8   | 6.8                |                          |
|          | 102.2                                     | 105.8  | 3.5                |                          |
| CV23-181 | 60.3                                      | 68.2   | 7.9                |                          |
|          | 195.5                                     | 303.5  | <b>108.0</b>       |                          |
|          | 312.1                                     | 321.5  | 9.3                |                          |
| CV23-182 | 97.0                                      | 189.6  | <b>92.6</b>        |                          |
|          | 216.7                                     | 227.0  | <b>10.3</b>        |                          |
| CV23-183 | 320.0                                     | 364.6  | <b>44.7</b>        |                          |
| CV23-184 | 126.9                                     | 220.1  | <b>93.3</b>        |                          |
|          | 220.9                                     | 228.3  | 7.4                |                          |
|          | 301.4                                     | 303.6  | 2.2                |                          |
|          | 341.8                                     | 349.7  | 7.9                |                          |
| CV23-185 | 96.8                                      | 106.8  | 9.9                |                          |
|          | 338.0                                     | 340.7  | 2.7                |                          |
| CV23-186 | <i>No pegmatite intersected</i>           |        |                    | <i>Hydrogeology hole</i> |
| CV23-187 | 5.0                                       | 12.0   | 7.0 <sup>(2)</sup> |                          |
|          | 96.4                                      | 110.5  | <b>14.1</b>        |                          |
|          | 120.2                                     | 125.3  | 5.1                |                          |
|          | 171.2                                     | 181.0  | 9.8                |                          |
|          | 213.0                                     | 218.3  | 5.4                |                          |
| CV23-188 | <i>No &gt;2 m pegmatite intersections</i> |        |                    |                          |
| CV23-189 | 47.4                                      | 50.9   | 3.6                |                          |
|          | 121.9                                     | 174.8  | <b>52.9</b>        |                          |
|          | 216.3                                     | 239.8  | <b>23.5</b>        |                          |
| CV23-190 | 25.7                                      | 164.9  | <b>139.2</b>       |                          |

(1) All intervals are core length and presented for all pegmatite intervals >2 m; (2) Collared in pegmatite; Note: 'Hydrogeology holes' and 'infrastructure holes' completed to support a hydrogeological model and proposed infrastructure layout for Project, respectively.

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m) | To (m) | Interval (m)               | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments |
|--------------|----------|--------|----------------------------|-----------------------|--------------------------------------|----------|
| CF21-001     | 23.0     | 171.6  | <b>148.7<sup>(3)</sup></b> | <b>0.92</b>           | 114                                  |          |
| <i>incl.</i> | 26.0     | 99.0   | <b>73.0</b>                | <b>1.09</b>           | 108                                  |          |
| <i>or</i>    | 79.0     | 99.0   | 20.0                       | 1.83                  | 108                                  |          |
| <i>incl.</i> | 118.2    | 171.6  | <b>53.4</b>                | <b>1.05</b>           | 148                                  |          |
| <i>or</i>    | 142.1    | 150.0  | 7.9                        | 1.96                  | 157                                  |          |
|              | 179.1    | 182.8  | 3.8                        | 0.07                  | 102                                  |          |
|              | 199.7    | 213.4  | <b>13.7</b>                | <b>1.16</b>           | 104                                  |          |
| CF21-002     | 73.6     | 76.1   | 2.4                        | 0.06                  | 102                                  |          |
|              | 78.9     | 233.0  | <b>154.1<sup>(3)</sup></b> | <b>0.94</b>           | 118                                  |          |
| <i>incl.</i> | 124.0    | 162.0  | <b>38.0</b>                | <b>1.38</b>           | 160                                  |          |
| <i>or</i>    | 157.0    | 162.0  | 5.0                        | 3.91                  | 308                                  |          |
| <i>incl.</i> | 189.0    | 233.0  | <b>44.0<sup>(3)</sup></b>  | <b>1.14</b>           | 104                                  |          |
| CF21-003     | 22.0     | 81.1   | <b>59.1</b>                | <b>1.23</b>           | 194                                  |          |
| <i>incl.</i> | 27.0     | 60.0   | <b>33.0</b>                | <b>1.80</b>           | 264                                  |          |
| CF21-004     | 38.0     | 101.6  | 63.6                       | 0.64                  | 231                                  |          |
| <i>incl.</i> | 41.0     | 71.0   | <b>30.0</b>                | <b>1.13</b>           | 180                                  |          |
| <i>or</i>    | 41.0     | 51.0   | 10.0                       | 1.69                  | 210                                  |          |
| <i>or</i>    | 90.0     | 101.6  | 11.6                       | 0.02                  | 447                                  |          |
| CV22-015     | 27.1     | 75.1   | 48.0                       | 0.44                  | 76                                   |          |
| <i>incl.</i> | 27.1     | 32.0   | 4.9                        | 1.14                  | 96                                   |          |
| <i>incl.</i> | 51.5     | 58.3   | <b>6.8</b>                 | <b>1.22</b>           | 113                                  |          |
| <i>incl.</i> | 70.6     | 75.1   | 4.5                        | 0.99                  | 105                                  |          |
| CV22-016     | 89.2     | 210.0  | 120.8 <sup>(3)</sup>       | 0.63                  | 114                                  |          |
| <i>incl.</i> | 91.0     | 120.0  | <b>29.0</b>                | <b>0.91</b>           | 127                                  |          |
| <i>Incl.</i> | 134.5    | 147.6  | <b>13.1</b>                | <b>1.53</b>           | 137                                  |          |
| CV22-017     | 162.8    | 235.8  | <b>73.0</b>                | <b>2.14</b>           | 145                                  |          |
| <i>incl.</i> | 165.7    | 185.0  | 19.4                       | 1.57                  | 148                                  |          |
| <i>incl.</i> | 190.4    | 231.0  | <b>40.7</b>                | <b>3.01</b>           | 160                                  |          |
|              | 269.9    | 272.1  | 2.2                        | 0.02                  | 94                                   |          |
| CV22-018     | 54.2     | 82.4   | <b>28.2<sup>(3)</sup></b>  | <b>0.94</b>           | 106                                  |          |
| CV22-019     | 108.5    | 207.3  | 98.9                       | 0.79                  | 118                                  |          |
| <i>incl.</i> | 110.2    | 144.0  | <b>33.8</b>                | <b>1.17</b>           | 111                                  |          |
| <i>incl.</i> | 192.0    | 204.0  | 12.0                       | 1.23                  | 103                                  |          |
| CV22-020     | 38.8     | 50.1   | 11.3                       | 0.98                  | 153                                  |          |
| <i>incl.</i> | 38.8     | 46.0   | 7.3                        | 1.41                  | 130                                  |          |
| CV22-021     | 68.8     | 72.0   | 3.3                        | 0.24                  | 123                                  |          |
| CV22-022     | 33.1     | 53.8   | 20.7                       | 0.50                  | 142                                  |          |
| <i>incl.</i> | 34.0     | 37.0   | 3.0                        | 1.76                  | 115                                  |          |
|              | 77.3     | 80.9   | 3.7                        | 0.05                  | 61                                   |          |
| CV22-023     | 117.9    | 120.6  | 2.7                        | 0.30                  | 51                                   |          |
| CV22-024     | 45.5     | 66.4   | <b>20.8</b>                | <b>1.16</b>           | 132                                  |          |
| <i>incl.</i> | 46.5     | 65.0   | <b>18.5</b>                | <b>1.26</b>           | 121                                  |          |

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m)                        | To (m) | Interval (m)               | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments         |
|--------------|---------------------------------|--------|----------------------------|-----------------------|--------------------------------------|------------------|
| CV22-025     | 22.7                            | 85.3   | <b>62.6</b>                | <b>1.15</b>           | 154                                  |                  |
| <i>incl.</i> | 61.9                            | 72.0   | 10.2                       | 2.76                  | 341                                  |                  |
|              | 90.6                            | 97.5   | 6.8                        | 0.16                  | 73                                   |                  |
| CV22-026     | 33.9                            | 36.6   | 2.7                        | 0.97                  | 141                                  |                  |
|              | 47.1                            | 54.8   | 7.6                        | 0.26                  | 93                                   |                  |
|              | 56.3                            | 59.4   | 3.1                        | 0.10                  | 75                                   |                  |
|              | 71.8                            | 147.0  | 75.2                       | 0.68                  | 151                                  |                  |
| <i>incl.</i> | 73.8                            | 103.0  | <b>29.3</b>                | <b>1.14</b>           | 156                                  |                  |
| CV22-027     | 37.4                            | 51.7   | 14.3                       | 0.82                  | 146                                  |                  |
|              | 55.1                            | 107.5  | <b>52.4</b>                | <b>0.97</b>           | 124                                  |                  |
| <i>incl.</i> | 63.9                            | 90.5   | <b>26.6</b>                | <b>1.39</b>           | 125                                  |                  |
| CV22-028     | 132.0                           | 232.9  | <b>100.9</b>               | <b>1.24</b>           | 164                                  |                  |
| <i>incl.</i> | 173.0                           | 217.0  | <b>44.0</b>                | <b>2.17</b>           | 187                                  |                  |
| <i>or</i>    | 201.0                           | 210.0  | <b>9.0</b>                 | <b>3.62</b>           | 200                                  |                  |
| CV22-029     | 64.4                            | 127.1  | 62.8                       | 0.61                  | 117                                  |                  |
| <i>incl.</i> | 64.4                            | 95.9   | <b>31.6</b>                | <b>0.95</b>           | 158                                  |                  |
| <i>or</i>    | 90.5                            | 95.9   | 5.4                        | 2.90                  | 356                                  |                  |
| CV22-030     | 86.4                            | 239.2  | <b>152.8<sup>(3)</sup></b> | <b>1.22</b>           | 138                                  |                  |
| <i>incl.</i> | 164.0                           | 230.0  | <b>66.0</b>                | <b>1.51</b>           | 100                                  |                  |
| CV22-031     | 107.9                           | 195.2  | 87.3                       | 0.61                  | 113                                  |                  |
| <i>incl.</i> | 109.0                           | 142.5  | <b>33.5</b>                | <b>1.25</b>           | 185                                  |                  |
| <i>incl.</i> | 114.0                           | 119.0  | 5.0                        | 2.90                  | 384                                  |                  |
| CV22-032     | <i>No pegmatite intersected</i> |        |                            |                       |                                      | <i>Hole lost</i> |
| CV22-033     | 19.8                            | 25.0   | 5.1                        | 0.60                  | 146                                  |                  |
|              | 128.7                           | 145.5  | <b>16.8</b>                | <b>1.03</b>           | 127                                  |                  |
| <i>incl.</i> | 133.7                           | 144.5  | <b>10.8</b>                | <b>1.51</b>           | 166                                  |                  |
|              | 149.3                           | 194.7  | 45.4                       | 0.20                  | 77                                   |                  |
| CV22-034     | 173.5                           | 178.9  | 5.4                        | 0.79                  | 100                                  |                  |
|              | 183.4                           | 187.3  | 3.9                        | 0.53                  | 142                                  |                  |
|              | 237.3                           | 255.0  | 17.7                       | 0.82                  | 56                                   |                  |
|              | 273.2                           | 277.3  | 4.0                        | 1.03                  | 91                                   |                  |
|              | 323.1                           | 326.7  | 3.6                        | 0.30                  | 53                                   |                  |
| CV22-035     | 0.8                             | 3.3    | 2.5 <sup>(2)</sup>         | 0.62                  | 155                                  |                  |
|              | 123.9                           | 223.8  | <b>100.0</b>               | <b>1.22</b>           | 117                                  |                  |
| <i>incl.</i> | 185.5                           | 212.5  | <b>27.0</b>                | <b>2.53</b>           | 130                                  |                  |
| <i>or</i>    | 202.5                           | 212.5  | <b>10.0</b>                | <b>3.29</b>           | 177                                  |                  |
| CV22-036     | 176.5                           | 183.8  | <b>7.3</b>                 | <b>2.00</b>           | 167                                  |                  |
|              | 193.1                           | 211.3  | 18.2                       | 0.17                  | 105                                  |                  |
|              | 232.7                           | 238.1  | 5.4                        | 1.35                  | 63                                   |                  |
|              | 249.3                           | 252.3  | 3.0                        | 0.27                  | 70                                   |                  |
|              | 260.6                           | 287.6  | <b>27.0</b>                | <b>1.38</b>           | 99                                   |                  |
|              | 320.8                           | 324.0  | 3.1                        | 0.06                  | 145                                  |                  |

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m)                        | To (m) | Interval (m)        | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments |
|--------------|---------------------------------|--------|---------------------|-----------------------|--------------------------------------|----------|
| CV22-037     | 35.6                            | 46.1   | 10.6                | 0.63                  | 177                                  |          |
| <i>incl.</i> | 40.0                            | 44.2   | 4.2                 | 1.21                  | 232                                  |          |
|              | 145.2                           | 197.2  | 52.0 <sup>(3)</sup> | 0.41                  | 129                                  |          |
| <i>incl.</i> | 149.8                           | 155.0  | 5.2                 | 1.49                  | 169                                  |          |
| CV22-038     | 214.0                           | 273.3  | <b>59.3</b>         | <b>1.42</b>           | 106                                  |          |
| <i>incl.</i> | 234.8                           | 242.0  | 7.2                 | 2.06                  | 141                                  |          |
| CV22-039     | 30.4                            | 39.2   | 8.8                 | 0.97                  | 134                                  |          |
|              | 138.0                           | 178.5  | 40.5                | 0.56                  | 158                                  |          |
| <i>Incl.</i> | 141.0                           | 151.8  | <b>10.8</b>         | <b>1.55</b>           | 244                                  |          |
|              | 186.8                           | 191.3  | 4.4                 | 0.06                  | 258                                  |          |
| CV22-040     | 214.0                           | 275.9  | <b>61.9</b>         | <b>1.42</b>           | 99                                   |          |
| <i>incl.</i> | 215.0                           | 245.0  | <b>30.0</b>         | <b>2.00</b>           | 117                                  |          |
|              | 303.6                           | 371.6  | 68.0                | 0.87                  | 110                                  |          |
| <i>incl.</i> | 311.0                           | 363.0  | <b>52.0</b>         | <b>1.01</b>           | 113                                  |          |
|              | 377.3                           | 383.9  | 6.6                 | 0.03                  | 143                                  |          |
| CV22-041     | 52.9                            | 63.2   | <b>10.3</b>         | <b>1.42</b>           | 123                                  |          |
|              | 163.9                           | 201.6  | 37.7                | 0.22                  | 257                                  |          |
| CV22-042     | 54.8                            | 59.8   | 5.1                 | 0.67                  | 340                                  |          |
|              | 131.8                           | 291.5  | <b>159.7</b>        | <b>1.65</b>           | 193                                  |          |
| <i>incl.</i> | 238.5                           | 275.5  | <b>37.0</b>         | <b>3.04</b>           | 209                                  |          |
| <i>or</i>    | 249.5                           | 258.5  | <b>9.0</b>          | <b>4.12</b>           | 162                                  |          |
| CV22-043     | 201.5                           | 206.3  | 4.8                 | 0.40                  | 216                                  |          |
|              | 258.6                           | 262.2  | 3.7                 | 1.57                  | 62                                   |          |
|              | 319.4                           | 342.2  | <b>22.7</b>         | <b>1.68</b>           | 91                                   |          |
| <i>incl.</i> | 327.5                           | 334.5  | <b>7.0</b>          | <b>3.13</b>           | 75                                   |          |
|              | 422.9                           | 425.1  | 2.2                 | 0.01                  | 53                                   |          |
| CV22-044     | 136.0                           | 142.7  | 6.7                 | 1.89                  | 91                                   |          |
|              | 244.4                           | 330.7  | <b>86.2</b>         | <b>2.13</b>           | 163                                  |          |
| <i>incl.</i> | 308.5                           | 326.5  | <b>18.0</b>         | <b>3.07</b>           | 265                                  |          |
| CV22-045     | 215.6                           | 242.2  | <b>26.6</b>         | <b>1.26</b>           | 150                                  |          |
|              | 266.7                           | 268.8  | 2.1                 | 0.04                  | 215                                  |          |
|              | 311.9                           | 336.3  | 24.4                | 0.24                  | 117                                  |          |
| CV22-046     | 213.9                           | 218.7  | 4.8                 | 0.58                  | 121                                  |          |
|              | 408.7                           | 415.1  | 6.4                 | 0.23                  | 117                                  |          |
|              | 439.8                           | 449.4  | 9.6                 | 0.05                  | 95                                   |          |
| CV22-047     | <i>No pegmatite intersected</i> |        |                     |                       |                                      |          |
| CV22-048     | 181.3                           | 228.7  | <b>47.4</b>         | <b>1.42</b>           | 88                                   |          |
| <i>incl.</i> | 188.0                           | 209.0  | <b>21.0</b>         | <b>1.96</b>           | 105                                  |          |
|              | 312.9                           | 320.5  | 7.6                 | 1.61                  | 135                                  |          |
|              | 390.1                           | 425.8  | 35.7                | 0.67                  | 88                                   |          |
| <i>incl.</i> | 414.0                           | 425.8  | <b>11.8</b>         | <b>1.10</b>           | 83                                   |          |
|              | 428.8                           | 434.4  | 5.6                 | 0.77                  | 83                                   |          |



GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m)                             | To (m) | Interval (m) | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments |
|--------------|--------------------------------------|--------|--------------|-----------------------|--------------------------------------|----------|
| CV22-049     | 141.3                                | 237.3  | <b>96.0</b>  | <b>0.92</b>           | 111                                  |          |
| <i>incl.</i> | 178.2                                | 224.5  | <b>46.3</b>  | <b>1.41</b>           | 157                                  |          |
| <i>or</i>    | 212.0                                | 224.5  | <b>12.5</b>  | <b>2.62</b>           | 303                                  |          |
| CV22-050     | 178.2                                | 207.6  | <b>29.3</b>  | <b>1.79</b>           | 190                                  |          |
| <i>incl.</i> | 179.0                                | 201.5  | <b>22.5</b>  | <b>2.29</b>           | 159                                  |          |
| CV22-051     | <i>No appreciable mineralization</i> |        |              |                       |                                      |          |
| CV22-052     | 124.7                                | 229.3  | <b>104.5</b> | <b>0.97</b>           | 128                                  |          |
| <i>incl.</i> | 158.7                                | 210.7  | <b>51.9</b>  | <b>1.52</b>           | 104                                  |          |
| <i>or</i>    | 181.7                                | 202.5  | <b>20.8</b>  | <b>2.45</b>           | 146                                  |          |
| CV22-053     | 88.4                                 | 189.8  | 101.4        | 0.57                  | 121                                  |          |
| <i>incl.</i> | 107.3                                | 138.0  | <b>30.7</b>  | <b>1.05</b>           | 136                                  |          |
| CV22-054     | 32.0                                 | 35.8   | 3.8          | 0.79                  | 311                                  |          |
|              | 40.6                                 | 66.0   | <b>25.4</b>  | <b>1.31</b>           | 167                                  |          |
|              | 73.8                                 | 81.0   | 7.2          | 1.12                  | 243                                  |          |
| CV22-055     | 167.4                                | 202.9  | <b>35.5</b>  | <b>1.58</b>           | 312                                  |          |
| <i>incl.</i> | 172.5                                | 183.5  | <b>11.0</b>  | <b>2.20</b>           | 342                                  |          |
| <i>incl.</i> | 189.5                                | 200.9  | <b>11.4</b>  | <b>2.10</b>           | 146                                  |          |
| CV22-056     | 96.8                                 | 186.3  | 89.5         | 0.50                  | 160                                  |          |
| <i>incl.</i> | 102.8                                | 112.3  | <b>9.6</b>   | <b>1.14</b>           | 198                                  |          |
| <i>incl.</i> | 129.1                                | 138.0  | <b>8.9</b>   | <b>1.61</b>           | 233                                  |          |
| CV22-057     | 23.0                                 | 30.6   | 7.5          | 0.70                  | 164                                  |          |
|              | 41.1                                 | 56.4   | <b>15.3</b>  | <b>1.09</b>           | 92                                   |          |
|              | 67.9                                 | 70.6   | 2.7          | 0.70                  | 209                                  |          |
|              | 226.0                                | 232.1  | 6.2          | 0.01                  | 85                                   |          |
| CV22-058     | 104.9                                | 119.9  | 15.0         | 0.25                  | 159                                  |          |
|              | 124.4                                | 130.2  | 5.8          | 0.95                  | 101                                  |          |
| CV22-059     | 57.3                                 | 176.4  | <b>119.1</b> | <b>0.89</b>           | 97                                   |          |
| <i>incl.</i> | 66.0                                 | 85.0   | <b>19.0</b>  | <b>2.05</b>           | 120                                  |          |
|              | 304.9                                | 319.9  | <b>15.0</b>  | <b>1.72</b>           | 148                                  |          |
| CV22-060     | 29.6                                 | 53.8   | <b>24.3</b>  | <b>1.14</b>           | 164                                  |          |
|              | 94.9                                 | 97.5   | 2.6          | 0.70                  | 126                                  |          |
|              | 116.7                                | 119.2  | 2.5          | 0.32                  | 171                                  |          |
| CV22-061     | 86.8                                 | 97.4   | 10.6         | 0.63                  | 114                                  |          |
| CV22-062     | 25.3                                 | 85.3   | <b>60.0</b>  | <b>1.52</b>           | 195                                  |          |
| <i>incl.</i> | 26.0                                 | 44.0   | <b>18.0</b>  | <b>2.16</b>           | 316                                  |          |
|              | 146.5                                | 152.3  | 5.8          | 0.65                  | 149                                  |          |
| CV22-063     | 69.9                                 | 109.8  | <b>39.9</b>  | <b>1.30</b>           | 141                                  |          |
| <i>incl.</i> | 77.0                                 | 95.0   | <b>18.0</b>  | <b>2.28</b>           | 121                                  |          |
|              | 174.3                                | 189.6  | 15.3         | 0.25                  | 88                                   |          |

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m) | To (m) | Interval (m)              | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments |
|--------------|----------|--------|---------------------------|-----------------------|--------------------------------------|----------|
| CV22-064     | 77.4     | 119.5  | <b>42.2</b>               | <b>1.52</b>           | 300                                  |          |
| <i>incl.</i> | 80.3     | 102.5  | <b>22.2</b>               | <b>2.27</b>           | 209                                  |          |
|              | 141.5    | 143.6  | 2.1                       | 0.16                  | 62                                   |          |
|              | 160.5    | 178.3  | <b>17.8</b>               | <b>2.53</b>           | 167                                  |          |
|              | 183.4    | 212.5  | <b>29.1</b>               | <b>1.21</b>           | 125                                  |          |
|              | 215.2    | 219.4  | 4.3                       | 0.40                  | 237                                  |          |
|              | 220.2    | 231.1  | <b>10.9</b>               | <b>1.18</b>           | 177                                  |          |
|              | 240.5    | 246.7  | 6.2                       | 0.05                  | 130                                  |          |
|              | 248.8    | 252.9  | 4.1                       | 0.07                  | 11                                   |          |
|              | 313.8    | 321.8  | 8.0                       | 0.54                  | 77                                   |          |
| CV22-065     | 7.2      | 42.0   | 34.8                      | 0.68                  | 197                                  |          |
| <i>incl.</i> | 16.0     | 30.0   | <b>14.0</b>               | <b>1.21</b>           | 161                                  |          |
|              | 54.7     | 74.6   | <b>19.9</b>               | <b>1.04</b>           | 117                                  |          |
|              | 168.6    | 171.5  | 2.9                       | 0.30                  | 151                                  |          |
| CV22-066     | 54.1     | 62.9   | 8.7                       | 1.24                  | 185                                  |          |
|              | 162.1    | 275.5  | <b>113.4</b>              | <b>1.61</b>           | 139                                  |          |
| <i>incl.</i> | 188.0    | 226.0  | <b>38.0</b>               | <b>2.17</b>           | 164                                  |          |
| <i>or</i>    | 224.0    | 226.0  | <b>2.0</b>                | <b>6.41</b>           | 26                                   |          |
| <i>incl.</i> | 244.0    | 272.6  | <b>28.6</b>               | <b>2.31</b>           | 164                                  |          |
| CV22-067     | 3.5      | 44.6   | 41.1                      | 0.87                  | 81                                   |          |
| <i>incl.</i> | 5.5      | 18.5   | <b>13.0</b>               | <b>1.94</b>           | 78                                   |          |
| CV22-068     | 2.5      | 25.2   | <b>22.7<sup>(2)</sup></b> | <b>1.45</b>           | 133                                  |          |
|              | 188.5    | 191.7  | 3.2                       | 0.01                  | 70                                   |          |
| CV22-069     | 56.3     | 61.6   | 5.3                       | 0.74                  | 327                                  |          |
|              | 71.0     | 86.6   | 15.7                      | 0.09                  | 123                                  |          |
|              | 205.8    | 251.0  | <b>45.3</b>               | <b>1.72</b>           | 157                                  |          |
| <i>incl.</i> | 217.0    | 248.0  | <b>31.0</b>               | <b>2.11</b>           | 179                                  |          |
|              | 315.7    | 318.9  | 3.2                       | 0.01                  | 61                                   |          |
| CV22-070     | 83.2     | 88.3   | 5.1                       | 0.84                  | 224                                  |          |
|              | 163.0    | 194.2  | <b>31.2</b>               | <b>1.95</b>           | 147                                  |          |
| <i>incl.</i> | 181.3    | 190.3  | 9.0                       | 2.78                  | 106                                  |          |
|              | 199.4    | 201.6  | 2.1                       | 0.78                  | 204                                  |          |
| CV22-071     | 8.0      | 21.8   | <b>13.8<sup>(2)</sup></b> | <b>1.12</b>           | 241                                  |          |
|              | 96.9     | 101.4  | 4.5                       | 0.07                  | 284                                  |          |
|              | 183.4    | 189.8  | 6.4                       | 0.23                  | 84                                   |          |
| CV22-072     | 71.7     | 74.5   | 2.8                       | 0.67                  | 164                                  |          |
|              | 144.5    | 169.2  | <b>24.6</b>               | <b>1.03</b>           | 95                                   |          |
|              | 194.2    | 204.2  | <b>10.0</b>               | <b>0.99</b>           | 192                                  |          |
|              | 344.6    | 354.6  | 10.0                      | 0.01                  | 72                                   |          |
| CV22-073     | 445.4    | 451.0  | 5.6                       | 0.02                  | 123                                  |          |
| CV22-074     | 82.9     | 85.0   | 2.1                       | 0.63                  | 271                                  |          |
|              | 170.4    | 187.3  | <b>16.9</b>               | <b>2.00</b>           | 117                                  |          |
|              | 198.9    | 208.1  | 9.2                       | 0.04                  | 87                                   |          |
|              | 255.4    | 259.5  | 4.1                       | 0.01                  | 124                                  |          |
|              | 288.2    | 290.7  | 2.4                       | 0.01                  | 84                                   |          |

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m)                             | To (m) | Interval (m)       | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments |
|--------------|--------------------------------------|--------|--------------------|-----------------------|--------------------------------------|----------|
| CV22-075     | 96.5                                 | 137.7  | <b>41.3</b>        | <b>1.01</b>           | 104                                  |          |
| <i>incl.</i> | 99.0                                 | 111.0  | <b>12.0</b>        | <b>1.59</b>           | 122                                  |          |
|              | 141.9                                | 150.9  | 9.0                | 1.08                  | 203                                  |          |
|              | 205.9                                | 211.2  | 5.3                | 0.39                  | 115                                  |          |
|              | 293.3                                | 304.7  | 11.4               | 0.18                  | 72                                   |          |
|              | 331.8                                | 334.8  | 3.0                | 0.02                  | 59                                   |          |
| CV22-076     | 14.6                                 | 18.1   | 3.5                | 0.03                  | 109                                  |          |
| CV22-078     | 46.6                                 | 49.6   | 3.0                | 0.06                  | 80                                   |          |
| CV22-079     | 37.6                                 | 42.6   | 5.0                | 0.04                  | 121                                  |          |
|              | 111.9                                | 118.3  | 6.4                | 1.28                  | 100                                  |          |
|              | 146.5                                | 160.8  | 14.3               | 0.41                  | 288                                  |          |
|              | 219.7                                | 244.4  | 24.7               | 0.37                  | 85                                   |          |
| <i>incl.</i> | 234.4                                | 240.5  | 6.1                | 1.23                  | 42                                   |          |
| CV22-080     | 80.6                                 | 130.1  | <b>49.5</b>        | <b>1.33</b>           | 149                                  |          |
|              | 204.3                                | 208.6  | 4.3                | 0.30                  | 90                                   |          |
|              | 279.5                                | 291.0  | 11.5               | 0.10                  | 80                                   |          |
|              | 316.2                                | 320.1  | 3.9                | 0.01                  | 34                                   |          |
| CV22-083     | 42.7                                 | 49.0   | 6.3                | 0.98                  | 235                                  |          |
|              | 176.4                                | 333.4  | <b>156.9</b>       | <b>2.12</b>           | 181                                  |          |
| <i>incl.</i> | 258.0                                | 283.0  | <b>25.0</b>        | <b>5.04</b>           | 270                                  |          |
| <i>or</i>    | 264.0                                | 269.0  | <b>5.0</b>         | <b>6.36</b>           | 216                                  |          |
| CV22-086     | 71.4                                 | 76.8   | 5.4 <sup>(3)</sup> | 0.83                  | 112                                  |          |
|              | 83.4                                 | 86.2   | 2.8                | 1.00                  | 152                                  |          |
| CV22-087     | <i>No appreciable mineralization</i> |        |                    |                       |                                      |          |
| CV22-089     | 88.2                                 | 92.4   | 4.3                | 0.93                  | 93                                   |          |
| CV22-090     | 77.7                                 | 80.4   | 2.6                | 0.71                  | 103                                  |          |
|              | 157.4                                | 160.5  | 3.1                | 0.01                  | 68                                   |          |
|              | 184.1                                | 190.6  | 6.5                | 0.04                  | 534                                  |          |
|              | 242.7                                | 261.3  | 18.7               | 0.58                  | 188                                  |          |
| CV22-093     | 82.4                                 | 88.0   | 5.6                | 0.86                  | 104                                  |          |
|              | 99.2                                 | 109.0  | 9.8                | 0.16                  | 136                                  |          |
|              | 219.1                                | 271.2  | <b>52.2</b>        | <b>3.34</b>           | 229                                  |          |
| <i>incl.</i> | 248.5                                | 263.5  | <b>15.0</b>        | <b>5.10</b>           | 314                                  |          |
| <i>or</i>    | 259.5                                | 261.5  | <b>2.0</b>         | <b>6.17</b>           | 495                                  |          |
|              | 332.0                                | 334.6  | 2.6                | 0.02                  | 110                                  |          |
|              | 336.0                                | 338.3  | 2.3                | 0.01                  | 186                                  |          |
|              | 350.1                                | 352.4  | 2.3                | 0.52                  | 103                                  |          |
|              | 386.8                                | 390.2  | 3.4                | 0.19                  | 145                                  |          |
| CV22-094     | <i>No pegmatite intersected</i>      |        |                    |                       |                                      |          |
| CV22-097     | 114.3                                | 123.7  | <b>9.4</b>         | <b>2.20</b>           | 257                                  |          |
|              | 280.7                                | 285.0  | 4.3                | 0.04                  | 264                                  |          |
| CV22-098     | 352.3                                | 354.3  | 2.0                | 0.02                  | 328                                  |          |
| CV22-100     | 139.3                                | 148.5  | 9.1                | 1.86                  | 125                                  |          |
|              | 250.8                                | 382.0  | <b>131.2</b>       | <b>1.96</b>           | 422                                  |          |
| <i>Incl.</i> | 289.5                                | 346.5  | <b>57.0</b>        | <b>2.97</b>           | 185                                  |          |
| CV22-102     | 19.1                                 | 27.3   | 8.2                | 0.56                  | 688                                  |          |
|              | 211.8                                | 222.3  | 10.4               | 0.13                  | 87                                   |          |

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m) | To (m) | Interval (m)               | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments |
|--------------|----------|--------|----------------------------|-----------------------|--------------------------------------|----------|
| CV23-105     | 96.7     | 100.7  | 4.0                        | 0.28                  | 141                                  |          |
|              | 104.0    | 114.7  | 10.7                       | 0.88                  | 192                                  |          |
|              | 222.7    | 306.4  | <b>83.7</b>                | <b>3.13</b>           | 235                                  |          |
| <i>Incl.</i> | 246.9    | 252.1  | <b>5.1</b>                 | <b>5.17</b>           | 288                                  |          |
| <i>Incl.</i> | 276.0    | 299.8  | <b>23.8</b>                | <b>4.99</b>           | 263                                  |          |
| <i>or</i>    | 280.0    | 299.8  | <b>19.8</b>                | <b>5.28</b>           | 283                                  |          |
|              | 310.2    | 321.7  | 11.5                       | 0.41                  | 125                                  |          |
|              | 338.0    | 357.2  | <b>19.2</b>                | <b>1.09</b>           | 221                                  |          |
|              | 366.4    | 386.7  | <b>20.3</b>                | <b>1.28</b>           | 170                                  |          |
| CV23-106     | 155.2    | 161.0  | 5.8                        | 0.72                  | 82                                   |          |
|              | 274.1    | 406.3  | <b>132.2<sup>(3)</sup></b> | <b>1.22</b>           | 156                                  |          |
| <i>Incl.</i> | 274.1    | 285.3  | <b>11.2</b>                | <b>2.99</b>           | 70                                   |          |
| <i>Incl.</i> | 300.9    | 306.9  | 6.0                        | 2.92                  | 374                                  |          |
| CV23-107     | 195.0    | 198.4  | 3.4                        | 0.73                  | 101                                  |          |
|              | 293.2    | 358.6  | <b>65.4</b>                | <b>1.30</b>           | 305                                  |          |
| <i>Incl.</i> | 306.5    | 343.6  | <b>37.1</b>                | <b>2.09</b>           | 271                                  |          |
| <i>or</i>    | 310.0    | 313.0  | <b>3.0</b>                 | <b>5.43</b>           | 441                                  |          |
|              | 378.0    | 380.5  | 2.6                        | 0.11                  | 129                                  |          |
| CV23-108     | 294.7    | 348.6  | <b>54.0</b>                | <b>1.55</b>           | 235                                  |          |
| <i>Incl.</i> | 306.9    | 333.5  | <b>26.6</b>                | <b>2.44</b>           | 274                                  |          |
| <i>or</i>    | 317.5    | 322.5  | <b>5.0</b>                 | <b>4.30</b>           | 260                                  |          |
| CV23-109     | 91.9     | 94.5   | 2.6                        | 0.02                  | 252                                  |          |
|              | 164.5    | 224.6  | 60.1                       | 0.23                  | 258                                  |          |
| <i>Incl.</i> | 216.5    | 223.0  | 6.5                        | 0.90                  | 407                                  |          |
| CV23-110     | 125.4    | 130.9  | 5.5                        | 0.80                  | 123                                  |          |
|              | 184.4    | 269.4  | <b>85.0</b>                | <b>1.04</b>           | 231                                  |          |
| <i>Incl.</i> | 185.4    | 224.8  | <b>39.4</b>                | <b>1.51</b>           | 177                                  |          |
|              | 390.1    | 392.4  | 2.4                        | 0.72                  | 101                                  |          |
| CV23-111     | 156.1    | 159.1  | 3.1                        | 1.33                  | 132                                  |          |
|              | 227.7    | 235.7  | 8.0                        | 0.47                  | 224                                  |          |
|              | 253.4    | 262.0  | 8.6                        | 0.55                  | 85                                   |          |
| CV23-112     | 125.9    | 131.2  | 5.2                        | 0.73                  | 66                                   |          |
|              | 205.7    | 239.4  | 33.7                       | 0.25                  | 243                                  |          |
| CV23-113     | 195.5    | 198.7  | 3.2                        | 0.02                  | 59                                   |          |
|              | 235.8    | 252.6  | 16.9                       | 0.10                  | 393                                  |          |
|              | 255.3    | 269.2  | <b>13.9</b>                | <b>1.01</b>           | 197                                  |          |
| CV23-114     | 144.9    | 157.6  | 12.7                       | 0.85                  | 126                                  |          |
|              | 251.4    | 307.6  | <b>56.3</b>                | <b>2.34</b>           | 162                                  |          |
| <i>Incl.</i> | 269.2    | 301.7  | <b>32.6</b>                | <b>3.14</b>           | 195                                  |          |
| <i>or</i>    | 288.7    | 299.8  | <b>11.1</b>                | <b>4.06</b>           | 287                                  |          |
|              | 324.9    | 330.9  | 6.0                        | 0.12                  | 75                                   |          |
| CV23-115     | 198.0    | 214.8  | <b>16.9</b>                | <b>1.34</b>           | 139                                  |          |
|              | 230.6    | 253.1  | <b>22.6</b>                | <b>2.13</b>           | 204                                  |          |
| <i>Incl.</i> | 231.5    | 238.0  | <b>6.5</b>                 | <b>3.44</b>           | 77                                   |          |
| <i>Incl.</i> | 249.7    | 251.0  | <b>1.3</b>                 | <b>6.53</b>           | 79                                   |          |
|              | 288.7    | 293.9  | 5.3                        | 0.69                  | 623                                  |          |
|              | 301.3    | 325.1  | 23.8                       | 0.90                  | 328                                  |          |
| CV23-116     | 306.8    | 378.8  | 71.9                       | 0.78                  | 311                                  |          |
| <i>Incl.</i> | 307.8    | 331.6  | <b>23.8</b>                | <b>1.61</b>           | 321                                  |          |

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m)                        | To (m) | Interval (m)        | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments         |
|--------------|---------------------------------|--------|---------------------|-----------------------|--------------------------------------|------------------|
| CV23-117     | 188.9                           | 200.3  | 11.4                | 1.79                  | 222                                  |                  |
|              | 281.4                           | 283.4  | 2.1                 | 0.03                  | 132                                  |                  |
| CV23-118     | 241.1                           | 272.0  | 30.8                | 0.45                  | 981                                  |                  |
|              | 266.1                           | 272.0  | 5.9                 | 1.55                  | 295                                  |                  |
| CV23-119     | 136.8                           | 139.7  | 2.9                 | 1.39                  | 148                                  |                  |
|              | 225.6                           | 231.8  | 6.1                 | 1.09                  | 71                                   |                  |
| CV23-120     | 239.9                           | 242.2  | 2.3                 | 0.08                  | 364                                  |                  |
|              | 245.2                           | 320.4  | 75.2                | 0.38                  | 305                                  |                  |
| CV23-121     | 104.3                           | 112.4  | 8.2                 | 0.56                  | 115                                  |                  |
|              | 175.7                           | 179.0  | 3.3                 | 0.02                  | 171                                  |                  |
|              | 191.5                           | 225.3  | 33.9                | 1.98                  | 290                                  |                  |
|              | 238.0                           | 240.3  | 2.3                 | 1.03                  | 164                                  |                  |
|              | 245.2                           | 277.6  | 32.4                | 2.42                  | 107                                  |                  |
| CV23-122     | 199.8                           | 203.2  | 3.4                 | 0.03                  | 142                                  |                  |
|              | 251.2                           | 260.9  | 9.7                 | 2.00                  | 67                                   |                  |
| CV23-123     | 104.0                           | 107.2  | 3.2                 | 1.34                  | 159                                  |                  |
|              | 190.9                           | 201.3  | 10.4                | 1.09                  | 110                                  |                  |
| CV23-124     | 177.5                           | 184.0  | 6.5                 | 1.20                  | 92                                   |                  |
|              | 255.8                           | 302.2  | 46.4                | 1.19                  | 179                                  |                  |
| <i>Incl.</i> | 259.8                           | 276.0  | 16.2                | 2.04                  | 138                                  |                  |
|              | 304.6                           | 309.5  | 4.9                 | 0.39                  | 214                                  |                  |
|              | 467.1                           | 469.7  | 2.5                 | 0.05                  | 60                                   |                  |
|              | 523.8                           | 528.5  | 4.7                 | 0.79                  | 59                                   |                  |
|              | 577.1                           | 588.3  | 11.2                | 0.67                  | 101                                  |                  |
| CV23-125     | 450.6                           | 480.4  | 29.8                | 0.14                  | 181                                  |                  |
| CV23-126     | <i>No pegmatite intersected</i> |        |                     |                       |                                      | <i>Hole lost</i> |
| CV23-127     | 125.7                           | 128.5  | 2.8                 | 0.48                  | 177                                  |                  |
|              | 239.5                           | 283.0  | 43.5                | 1.80                  | 238                                  |                  |
| <i>Incl.</i> | 255.4                           | 264.7  | 9.3                 | 3.61                  | 190                                  |                  |
|              | 372.9                           | 396.9  | 24.0 <sup>(3)</sup> | 2.04                  | 97                                   |                  |
| <i>Incl.</i> | 383.1                           | 388.6  | 5.5                 | 3.16                  | 130                                  |                  |
| CV23-128     | 101.5                           | 131.4  | 29.9                | 0.51                  | 126                                  |                  |
| <i>Incl.</i> | 125.0                           | 130.0  | 5.0                 | 1.11                  | 184                                  |                  |
| CV23-129     | 102.0                           | 199.2  | 97.2                | 0.29                  | 100                                  |                  |
| <i>Incl.</i> | 161.1                           | 173.6  | 12.5                | 1.13                  | 146                                  |                  |
| CV23-130     | 145.5                           | 246.7  | 101.2               | 1.08                  | 152                                  |                  |
| <i>Incl.</i> | 184.7                           | 194.8  | 10.1                | 2.42                  | 115                                  |                  |
| <i>Incl.</i> | 229.3                           | 233.3  | 4.0                 | 4.13                  | 304                                  |                  |
| CV23-131     | 78.4                            | 81.7   | 3.3                 | 0.76                  | 112                                  |                  |
|              | 157.4                           | 165.8  | 8.4                 | 1.48                  | 135                                  |                  |
|              | 179.3                           | 194.2  | 14.9                | 0.79                  | 125                                  |                  |
| CV23-132     | 145.7                           | 154.9  | 9.2                 | 0.15                  | 247                                  |                  |
|              | 164.0                           | 294.3  | 130.3               | 1.56                  | 185                                  |                  |
| <i>Incl.</i> | 175.6                           | 228.4  | 52.7                | 2.45                  | 168                                  |                  |
| <i>Incl.</i> | 247.8                           | 252.8  | 5.0                 | 3.82                  | 451                                  |                  |
| CV23-133     | 542.7                           | 546.6  | 3.9                 | 0.90                  | 65                                   |                  |
|              | 550.4                           | 554.4  | 3.9                 | 0.42                  | 153                                  |                  |
| CV23-134     | 6.1                             | 8.8    | 2.7                 | 0.01                  | 67                                   |                  |
|              | 123.3                           | 224.6  | 101.3               | 1.44                  | 104                                  |                  |
| <i>Incl.</i> | 192.3                           | 220.4  | 28.1                | 3.00                  | 148                                  |                  |
| <i>or</i>    | 213.2                           | 218.3  | 5.2                 | 4.69                  | 320                                  |                  |

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m)                        | To (m) | Interval (m)               | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments                   |
|--------------|---------------------------------|--------|----------------------------|-----------------------|--------------------------------------|----------------------------|
| CV23-135     | 46.0                            | 55.0   | 9.0                        | 0.15                  | 66                                   |                            |
| CV23-136     | 325.6                           | 351.2  | 25.6                       | 0.82                  | 90                                   |                            |
| <i>Incl.</i> | 331.0                           | 335.5  | 4.5                        | 3.27                  | 108                                  |                            |
| CV23-137     | 46.2                            | 76.1   | 29.9 <sup>(3)</sup>        | 0.39                  | 183                                  |                            |
| <i>Incl.</i> | 47.0                            | 50.9   | 3.9                        | 1.67                  | 287                                  |                            |
| CV23-138     | 4.0                             | 7.1    | 3.2                        | 0.01                  | 67                                   |                            |
|              | 126.0                           | 248.5  | <b>122.6<sup>(3)</sup></b> | <b>1.89</b>           | 175                                  |                            |
| <i>Incl.</i> | 157.1                           | 239.1  | <b>82.0</b>                | <b>2.58</b>           | 207                                  |                            |
| <i>or</i>    | 194.7                           | 202.8  | <b>8.1</b>                 | <b>5.01</b>           | 274                                  |                            |
| <i>or</i>    | 228.8                           | 239.1  | <b>10.2</b>                | <b>4.08</b>           | 344                                  |                            |
|              | 265.3                           | 273.0  | 7.7                        | 0.45                  | 137                                  |                            |
| CV23-139     | 390.1                           | 429.6  | 39.5                       | 0.42                  | 182                                  |                            |
| <i>Incl.</i> | 401.4                           | 405.7  | 4.3                        | 1.07                  | 269                                  |                            |
|              | 463.8                           | 466.4  | 2.5                        | 1.07                  | 79                                   |                            |
|              | 474.3                           | 476.3  | 2.0                        | 0.08                  | 50                                   |                            |
| CV23-140     | 334.8                           | 339.6  | 4.8                        | 0.17                  | 41                                   |                            |
|              | 344.6                           | 378.1  | 33.5                       | 0.28                  | 312                                  |                            |
|              | 389.1                           | 400.2  | 11.1                       | 0.40                  | 171                                  |                            |
|              | 402.6                           | 406.6  | 4.0                        | 0.03                  | 115                                  |                            |
| CV23-141     | 125.6                           | 133.0  | 7.4                        | 1.33                  | 167                                  |                            |
|              | 240.3                           | 341.5  | <b>101.2</b>               | <b>1.59</b>           | 246                                  |                            |
| <i>Incl.</i> | 249.3                           | 277.7  | <b>28.5</b>                | <b>4.14</b>           | 246                                  |                            |
| <i>or</i>    | 260.4                           | 269.2  | <b>8.8</b>                 | <b>5.20</b>           | 303                                  |                            |
|              | 362.0                           | 378.2  | <b>16.2</b>                | <b>1.37</b>           | 140                                  |                            |
| CV23-142     | 169.7                           | 193.1  | 23.4                       | 0.67                  | 152                                  |                            |
| <i>Incl.</i> | 170.7                           | 178.3  | 7.6                        | 0.99                  | 122                                  |                            |
|              | 289.6                           | 294.4  | 4.8                        | 1.50                  | 99                                   |                            |
| CV23-143     | 392.7                           | 397.7  | 5.0                        | 0.07                  | 108                                  |                            |
| CV23-144     | <i>No pegmatite intersected</i> |        |                            |                       |                                      | <i>Hydrogeology hole</i>   |
| CV23-145     | <i>No pegmatite intersected</i> |        |                            |                       |                                      | <i>Hydrogeology hole</i>   |
| CV23-146     | 297.5                           | 301.0  | 3.5                        | 0.42                  | 181                                  |                            |
|              | 306.0                           | 312.1  | 6.1                        | 0.43                  | 108                                  |                            |
| CV23-147     | <i>No pegmatite intersected</i> |        |                            |                       |                                      | <i>Hydrogeology hole</i>   |
| CV23-148     | 137.3                           | 232.6  | <b>95.3</b>                | <b>1.62</b>           | 147                                  |                            |
| <i>incl.</i> | 182.0                           | 229.6  | <b>47.6</b>                | <b>2.09</b>           | 143                                  |                            |
| <i>or</i>    | 184.0                           | 188.1  | <b>4.1</b>                 | <b>4.44</b>           | 101                                  |                            |
| CV23-149     | <i>n/a</i>                      |        |                            |                       |                                      | <i>Infrastructure hole</i> |
| CV23-150     | 35.8                            | 38.7   | 2.9                        | 0.18                  | 180                                  | <i>Hydrogeology hole</i>   |
| CV23-151     | 336.8                           | 355.0  | 18.2                       | 0.36                  | 101                                  |                            |
|              | 360.7                           | 364.7  | 4.0                        | 0.20                  | 129                                  |                            |
| CV23-152     | <i>No pegmatite intersected</i> |        |                            |                       |                                      |                            |
| CV23-153     | <i>No pegmatite intersected</i> |        |                            |                       |                                      | <i>Hydrogeology hole</i>   |
| CV23-154     | 430.2                           | 481.4  | 51.2 <sup>(3)</sup>        | 0.59                  | 113                                  |                            |
| <i>incl.</i> | 434.0                           | 444.0  | 10.1                       | 0.87                  | 153                                  |                            |
| <i>incl.</i> | 472.2                           | 481.4  | 9.3                        | 0.91                  | 84                                   |                            |
| CV23-155     | <i>No pegmatite intersected</i> |        |                            |                       |                                      | <i>Hydrogeology hole</i>   |
| CV23-156     | 449.4                           | 476.9  | 27.5                       | 0.40                  | 122                                  |                            |
| <i>incl.</i> | 470.5                           | 473.7  | 3.2                        | 2.22                  | 99                                   |                            |
| CV23-157     | <i>No pegmatite intersected</i> |        |                            |                       |                                      | <i>Hydrogeology hole</i>   |

GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID   | From (m)   | To (m) | Interval (m)       | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments            |
|-----------|--|--------|--------------------|-----------------------|--------------------------------------|---------------------|
| CV23-158  | n/a  |        |                    |                       |                                      | Infrastructure hole |
| CV23-159  | No pegmatite intersected                             |        |                    |                       |                                      | Hydrogeology hole   |
| CV23-160  | No pegmatite intersected, hole lost at shallow depth |        |                    |                       |                                      |                     |
| CV23-160A | 61.9   | 189.5  | <b>127.7</b>       | <b>1.78</b>           | 158                                  |                     |
|           | <i>incl.</i>   | 79.6   | 129.7              | <b>50.1</b>           | <b>2.43</b>                          | 190                 |
|           |  | 197.1  | 200.2              | 3.1                   | 1.39                                 | 185                 |
|           |  | 251.6  | 253.8              | 2.2                   | 0.56                                 | 68                  |
|           |  | 326.8  | 330.8              | 4.0                   | 0.04                                 | 165                 |
| CV23-161  | 37.3   | 42.4   | 5.1                | 1.67                  | 956                                  |                     |
|           |  | 44.3   | 46.8               | 2.6                   | 0.07                                 | 887                 |
|           |  | 86.5   | 96.1               | 9.6                   | 1.39                                 | 158                 |
|           |  | 115.8  | 149.2              | <b>33.4</b>           | <b>0.87</b>                          | 97                  |
|           |  | 153.6  | 166.4              | <b>12.8</b>           | <b>1.25</b>                          | 112                 |
|           |  | 207.4  | 215.6              | 8.2                   | 0.13                                 | 93                  |
|           |  | 247.3  | 250.5              | 3.3                   | 0.44                                 | 111                 |
| CV23-162  | 358.3  | 365.0  | 6.7                | 0.79                  | 81                                   |                     |
| CV23-163  | n/a  |        |                    |                       |                                      | Infrastructure hole |
| CV23-164  | No pegmatite intersected                             |        |                    |                       |                                      | Hydrogeology hole   |
| CV23-165  | 414.5  | 450.5  | <b>36.0</b>        | <b>1.36</b>           | 224                                  |                     |
|           | <i>Incl.</i>   | 417.6  | 434.6              | <b>17.0</b>           | <b>2.31</b>                          | 194                 |
|           | <i>or</i>  | 417.6  | 419.8              | <b>2.2</b>            | <b>5.02</b>                          | 169                 |
| CV23-166  | Not sampled as hole re-collared as CV23-166A         |        |                    |                       |                                      | Hydrogeology hole   |
| CV23-166A | 19.1   | 25.2   | 6.2 <sup>(2)</sup> | 0.65                  | 438                                  | Hydrogeology hole   |
| CV23-167  | No pegmatite intersected                             |        |                    |                       |                                      | Hydrogeology hole   |
| CV23-168  | No pegmatite intersected, hole lost at shallow depth |        |                    |                       |                                      |                     |
| CV23-168A | 182.0  | 239.7  | <b>57.7</b>        | <b>1.46</b>           | 184                                  |                     |
|           | <i>Incl.</i>   | 200.7  | 214.0              | <b>13.3</b>           | <b>2.65</b>                          | 220                 |
| CV23-169  | 169.7  | 173.1  | 3.4                | 0.01                  | 135                                  | Hydrogeology hole   |
| CV23-170  | 310.8  | 319.6  | 8.8                | 0.15                  | 75                                   |                     |
| CV23-171  | 125.6  | 129.9  | 4.3                | 1.57                  | 74                                   |                     |
| CV23-172  | 85.7   | 89.2   | 3.4                | 0.05                  | 169                                  |                     |
|           |  | 106.3  | 174.0              | 67.7 <sup>(3)</sup>   | 0.37                                 | 146                 |
|           | <i>Incl.</i>   | 153.3  | 166.5              | <b>13.2</b>           | <b>1.14</b>                          | 97                  |
|           |  | 185.4  | 188.0              | 2.5                   | 2.40                                 | 103                 |
|           |  | 312.7  | 319.1              | 6.4                   | 1.01                                 | 540                 |
|           |  | 327.2  | 342.8              | <b>15.7</b>           | <b>0.94</b>                          | 290                 |
| CV23-173  | 378.5  | 415.9  | 37.4               | 0.34                  | 186                                  |                     |
|           | <i>Incl.</i>   | 394.7  | 398.0              | 3.4                   | 1.06                                 | 211                 |
| CV23-174  | 149.4  | 158.2  | 8.7                | 2.06                  | 145                                  | Hydrogeology hole   |
|           |  | 213.5  | 217.5              | 4.1                   | 1.30                                 | 214                 |
|           |  | 221.5  | 265.8              | <b>44.2</b>           | <b>0.99</b>                          | 84                  |
|           | <i>incl.</i>   | 221.5  | 236.9              | <b>15.3</b>           | <b>2.58</b>                          | 128                 |
|           |  | 370.6  | 373.8              | 3.2                   | 0.20                                 | 117                 |
| CV23-175  | 62.2   | 66.1   | 3.9 <sup>(3)</sup> | 1.05                  | 210                                  |                     |
|           |  | 69.4   | 74.2               | 4.8                   | 1.30                                 | 264                 |
| CV23-176  | 90.2   | 128.6  | <b>38.4</b>        | <b>1.19</b>           | 148                                  |                     |
|           | <i>Incl.</i>   | 115.9  | 124.2              | 8.3                   | 2.07                                 | 141                 |
|           |  | 164.0  | 171.7              | <b>7.8</b>            | <b>3.01</b>                          | 143                 |
|           |  | 178.1  | 186.9              | 8.8                   | 1.29                                 | 175                 |
|           |  | 197.6  | 210.0              | 12.4                  | 0.71                                 | 193                 |

## GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID | From (m) | To (m) | Interval (m) | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments |
|---------|----------|--------|--------------|-----------------------|--------------------------------------|----------|
|         | 341.9    | 344.1  | 2.1          | 0.00                  | 0                                    |          |



GEO-TABLE\_2023-07-10\_ Core Assays (CV5) - Corvette

| Hole ID      | From (m)                             | To (m) | Interval (m)         | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) | Comments                 |
|--------------|--------------------------------------|--------|----------------------|-----------------------|--------------------------------------|--------------------------|
| CV23-177     | 79.3                                 | 91.7   | 12.4                 | 1.30                  | 177                                  |                          |
|              | 175.0                                | 290.3  | 115.3                | 1.81                  | 162                                  |                          |
| <i>Incl.</i> | 198.4                                | 288.0  | 89.6                 | 2.20                  | 184                                  |                          |
| CV23-178     | 132.6                                | 136.3  | 3.6                  | 1.86                  | 154                                  |                          |
| CV23-179     | 291.7                                | 295.1  | 3.4                  | 0.02                  | 33                                   |                          |
| CV23-180     | 92.0                                 | 98.8   | 6.8                  | 1.27                  | 190                                  |                          |
|              | 102.2                                | 105.8  | 3.5                  | 1.04                  | 204                                  |                          |
| CV23-181     | 60.3                                 | 68.2   | 7.9                  | 0.97                  | 81                                   |                          |
|              | 195.5                                | 303.5  | 108.0                | 2.44                  | 277                                  |                          |
| <i>Incl.</i> | 255.8                                | 293.3  | 37.5                 | 3.58                  | 337                                  |                          |
| <i>or</i>    | 259.5                                | 275.5  | 16.0                 | 4.08                  | 206                                  |                          |
|              | 312.1                                | 321.5  | 9.3                  | 0.22                  | 286                                  |                          |
| CV23-182     | 97.0                                 | 189.6  | 92.6                 | 0.48                  | 123                                  |                          |
| <i>Incl.</i> | 171.9                                | 186.7  | 14.8                 | 1.06                  | 124                                  |                          |
|              | 216.7                                | 227.0  | 10.3                 | 0.55                  | 160                                  |                          |
| CV23-183     | 320.0                                | 364.6  | 44.7                 | 0.71                  | 336                                  |                          |
| <i>Incl.</i> | 325.5                                | 333.5  | 8.0                  | 2.64                  | 667                                  |                          |
| CV23-184     | 126.9                                | 228.3  | 101.5 <sup>(3)</sup> | 0.86                  | 127                                  |                          |
| <i>Incl.</i> | 149.4                                | 228.3  | 78.9 <sup>(3)</sup>  | 1.00                  | 134                                  |                          |
| <i>or</i>    | 183.6                                | 218.3  | 34.8                 | 1.40                  | 126                                  |                          |
|              | 341.8                                | 349.7  | 7.9                  | 0.17                  | 679                                  |                          |
| CV23-185     | 96.8                                 | 106.8  | 9.9                  | 2.32                  | 101                                  |                          |
|              | 338.0                                | 340.7  | 2.7                  | 0.15                  | 109                                  |                          |
| CV23-186     | <i>No pegmatite intersected</i>      |        |                      |                       |                                      | <i>Hydrogeology hole</i> |
| CV23-187     | 5.0                                  | 12.0   | 6.0 <sup>(2)</sup>   | 0.73                  | 249                                  |                          |
|              | 96.4                                 | 110.5  | 14.1                 | 1.19                  | 70                                   |                          |
|              | 120.2                                | 125.3  | 5.1                  | 1.37                  | 147                                  |                          |
|              | 171.2                                | 181.0  | 9.8                  | 0.45                  | 82                                   |                          |
|              | 213.0                                | 218.3  | 5.4                  | 0.01                  | 101                                  |                          |
| CV23-188     | <i>No appreciable mineralization</i> |        |                      |                       |                                      |                          |
| CV23-189     | 47.4                                 | 50.9   | 3.6                  | 1.22                  | 255                                  |                          |
|              | 121.9                                | 174.8  | 52.9                 | 0.72                  | 203                                  |                          |
| <i>Incl.</i> | 158.0                                | 166.6  | 8.6                  | 1.81                  | 224                                  |                          |
|              | 216.3                                | 239.8  | 23.5                 | 0.08                  | 131                                  |                          |
| CV23-190     | 25.7                                 | 164.9  | 139.2                | 1.26                  | 106                                  |                          |
| <i>Incl.</i> | 66.5                                 | 84.6   | 18.1                 | 2.02                  | 113                                  |                          |
| <i>Incl.</i> | 125.0                                | 161.1  | 36.2                 | 1.74                  | 112                                  |                          |

(1) All intervals are core length and presented for all pegmatite intervals >2 m; (2) Collared in pegmatite; (3) Includes minor intervals of non-pegmatite units (typically <3 m); (4) 'Hydrogeology holes' and 'infrastructure holes' completed to support a hydrogeological model and proposed infrastructure layout for Project, respectively.

GEO-TABLE\_2023-07-10\_ Core Assays (CV12) - Corvette

| Hole ID      | From (m) | To (m) | Interval (m) | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) |
|--------------|----------|--------|--------------|-----------------------|--------------------------------------|
| CF21-014     | 26.5     | 31.1   | 4.6          | 0.36                  | 144                                  |
| <i>incl.</i> | 27.7     | 30.3   | 2.6          | 0.61                  | 178                                  |
|              | 44.7     | 47.1   | 2.4          | 0.03                  | 98                                   |
|              | 70.3     | 70.7   | <b>0.4</b>   | 0.38                  | <b>5,300</b>                         |

(1) All intervals are core length and presented for all pegmatite intervals >2 m.

GEO-TABLE\_2023-07-10\_ Core Assays (CV13) - Corvette

| Hole ID      | From (m) | To (m) | Interval (m)              | Li <sub>2</sub> O (%) | Ta <sub>2</sub> O <sub>5</sub> (ppm) |
|--------------|----------|--------|---------------------------|-----------------------|--------------------------------------|
| CV22-077     | 3.1      | 25.5   | <b>22.4<sup>(2)</sup></b> | <b>1.28</b>           | 124                                  |
|              | 149.5    | 153.3  | 3.8                       | 0.01                  | 33                                   |
| CV22-081     | 2.8      | 18.3   | <b>15.6<sup>(2)</sup></b> | <b>1.50</b>           | 113                                  |
| CV22-082     | 26.5     | 35.7   | <b>9.2</b>                | <b>0.94</b>           | 123                                  |
|              | 173.3    | 176.3  | 2.9                       | 0.03                  | 126                                  |
|              | 177.9    | 180.2  | 2.3                       | 0.01                  | 42                                   |
| CV22-084     | 26.9     | 34.3   | <b>7.4</b>                | <b>1.71</b>           | 115                                  |
|              | 134.8    | 143.2  | 8.4                       | 0.27                  | 35                                   |
| CV22-085     | 27.7     | 31.9   | 4.2                       | 0.23                  | 89                                   |
|              | 167.4    | 175.4  | <b>8.1</b>                | <b>0.98</b>           | 60                                   |
| CV22-088     | 28.7     | 34.6   | 5.9                       | 0.15                  | 188                                  |
|              | 165.5    | 168.3  | 2.8                       | 0.06                  | 35                                   |
| CV22-091     | 41.2     | 50.9   | <b>9.7</b>                | <b>1.25</b>           | 106                                  |
| CV22-092     | 29.3     | 51.9   | <b>22.6</b>               | <b>1.56</b>           | 240                                  |
| <i>Incl.</i> | 44.6     | 50.6   | <b>6.0</b>                | <b>3.19</b>           | 270                                  |
| CV22-095     | 25.0     | 28.7   | <b>3.7</b>                | <b>1.70</b>           | 107                                  |
|              | 33.1     | 40.1   | <b>7.0</b>                | <b>1.98</b>           | 80                                   |
| CV22-096     | 14.3     | 29.2   | 14.9                      | 0.10                  | 377                                  |
|              | 203.8    | 211.8  | 8.0                       | 0.24                  | 135                                  |
| CV22-099     | 5.5      | 41.5   | 36.0                      | 0.11                  | 107                                  |
|              | 228.7    | 232.3  | 3.6                       | 0.03                  | 93                                   |
| CV22-101     | 4.5      | 6.5    | 2.0                       | 0.03                  | 185                                  |
|              | 8.2      | 41.3   | 33.1                      | 0.08                  | 97                                   |
|              | 200.1    | 204.8  | 4.7                       | 0.05                  | 184                                  |
|              | 212.8    | 216.8  | 4.0                       | 0.03                  | 122                                  |
| CV22-103     | 23.8     | 42.6   | <b>18.8</b>               | <b>1.01</b>           | 133                                  |
| <i>Incl.</i> | 30.5     | 34.5   | 4.0                       | 2.37                  | 123                                  |
| CV22-104     | 20.6     | 37.9   | <b>17.3</b>               | <b>1.41</b>           | 90                                   |
| <i>Incl.</i> | 22.5     | 30.5   | 8.0                       | 2.09                  | 134                                  |

(1) All intervals are core length and presented for all pegmatite intervals >2 m; (2) Collared in pegmatite